

Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 1 049 331 A1

(12)

EUROPEAN PATENT APPLICATION

published in accordance with Art. 158(3) EPC

(43) Date of publication:
02.11.2000 Bulletin 2000/44

(51) Int. Cl.7: H04N 5/92, H04N 5/44,
H04N 7/173, G11B 27/00

(21) Application number: 99938532.1

(86) International application number:
PCT/JP99/04464

(22) Date of filing: 20.08.1999

(87) International publication number:
WO 00/11864 (02.03.2000 Gazette 2000/09)

(84) Designated Contracting States:
AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE

• YAMADA, Kazuhisa,
R 539, Matsushitadenki
Yodogawa-ku, Osaka-shi, Osaka 532-0022 (JP)
• YONEDA, Yasushi
Ikeda-shi, Osaka 563-0017 (JP)

(30) Priority: 20.08.1998 JP 23455798

(71) Applicant:
Matsushita Electric Industrial Co., Ltd.
Kadoma-shi, Osaka 571-8501 (JP)

(74) Representative:
Kügele, Bernhard et al
NOVAPAT INTERNATIONAL SA,
9, Rue du Valais
1202 Genève (CH)

(72) Inventors:
• HIRAI, Yoshikazu
Ibaraki-shi, Osaka 567-0036 (JP)


(54) RECEIVER, RECORDER AND PLAYER

(57) The present invention provides a receiving apparatus, a recording apparatus, and a reproduction apparatus, which can receive and record an interactive program.

Time information generated by a CPU 8 is composed by a composition unit 11 in a transport stream decoded by a transport decoder 3, and recorded in a

DVHS recording/reproduction apparatus 12. The transport stream reproduced by the DVHS recording/reproduction apparatus 12 is decoded by the transport decoder 3, decoded by an AV decoder 4, and reproduced.

Fig.1



EP 1 049 331 A1

Descripti n

Technical Field

[0001] The present invention relates to a receiving apparatus, a recording apparatus and a reproduction apparatus, and a receiving apparatus, a recording apparatus and a reproduction apparatus enabling to record an interactive program in a digital magnetic recording/reproduction apparatus, which interactive program allows an interactive exchange of information between a viewer and a broadcasting station, for example by transmitting the program by digital CS broadcasting, adding additional video to original broadcast video, and making the viewer who view the video respond.

Background Art

[0002] Conventionally, there is no this type of apparatus but there are only home television receivers for receiving digital CS broadcasting.

[0003] Fig.12 is a block diagram illustrating a structure of the conventional digital CS television receiver.

[0004] In fig.12, reference numeral 1 denotes an antenna for receiving CS broadcasting. Numeral 2 denotes a receiving unit for receiving the CS broadcasting received by the antenna 1, and demodulating the broadcasting. Numeral 3 denotes a transport decoder for descrambling an MPEG transport stream that is received and demodulated by the receiving unit 2, and extracting necessary information from the transport stream. Numeral 4 denotes an AV decoder for decoding MPEG data concerning video or audio (AV) extracted by the transport decoder 3. Numeral 5 denotes an OSD (On Screen Display) inserting unit for performing superimposition to a video output among outputs of the AV decoder 4. Numeral 6 denotes a display for displaying an output of the OSD (On Screen Display) inserting unit 5. Numeral 7 denotes a speaker for outputting an audio output among the outputs of the AV decoder 4, as a sound.

[0005] Next, an operation will be described. CS broadcast waves relayed from a broadcasting station (not shown) by a communication satellite (CS) are received by the antenna 1 for receiving the CS broadcasting, and introduced into a digital CS television receiver.

[0006] In the digital CS television receiver, the receiving unit 2 selects a CS broadcasting station selected by a viewer and demodulates its waves.

[0007] Accordingly, an MPEG transport stream is demodulated from the waves of the selected CS broadcasting station and it is transmitted to the transport decoder 3.

[0008] The transport decoder 3 descrambles the MPEG transport stream that is previously scrambled by the broadcasting station, so that original video can be obtained when it is MPEG-decoded later. Then, it

extracts necessary information, i.e., MPEG data concerning video or audio (AV) from the descrambled MPEG transport stream.

[0009] The AV decoder 4 executes MPEG decoding algorithm to the AV MPEG data that is extracted by the transport decoder 3, thereby to expand the data.

[0010] The On Screen Display inserting unit 5 generated On Screen information such as a channel selected by the viewer or a program table, and superimposes the information on an original video signal demodulated by the AV decoder 4 to output the signal.

[0011] The display 6 projects the output of the On Screen Display inserting unit 5, thereby to normally display the original video of the CS broadcasting, and when the channel is selected, display video which is obtained by superimposing the information such as the channel selected by the viewer on the original video, until a predetermined time elapses thereafter.

[0012] The speaker 7 outputs an audio signal that is expanded by the AV decoder 4, as a sound.

[0013] The conventional digital CS broadcasting receiver is constructed as above and thereby multichannel broadcasting of far more channels than those of the ground waves can be viewed.

[0014] With the spread of the digital CS broadcasting receivers, a request to record a broadcast program in a magnetic recording/reproduction apparatus, i.e., so-called VTR and to reproduce the program at a required time is naturally produced.

[0015] As described above, in the digital CS broadcasting, MPEG transport streams are transmitted as broadcasting information and therefore so-called DVHS-standard digital VTRs for recording the MPEG transport stream on a cassette similar to a widespread VHS-standard video cassette, as it is in the digital format, and reproducing the same are suggested.

[0016] In the digital CS broadcasting, digital information other than the original MPEG transport stream can also be transmitted. However, some types of the digital information require time information, like data that is called "programming" for realizing an interactive program. The conventional digital VTR cannot cope with the recording and reproducing of such digital information, because it merely copes with the recording and reproducing of the MPEG transport streams.

[0017] In addition, when a medium on which the "programming" is recorded is fast-forwarded and then returned to the normal reproduction process, sometimes the "programming" should reloaded, and thus when the "programming" is one for performing the screen processing, sometimes the screen goes black for a while.

[0018] The present invention is made to solve the problems of the above-described prior art and an object of the present invention is to provide a receiving apparatus, a recording apparatus and a reproduction apparatus, which enable to record and reproduce also digital information requiring time information.

[0019] In addition, the present invention is made to solve the problems of the above-described prior art and an object of the present invention is to provide a receiving apparatus, a recording apparatus and a reproduction apparatus which have no necessity of reloading the "programming" even when the medium on which the "programming" is recorded is fast-forwarded and returned to the normal reproduction process.

Disclosure of the Invention

[0020] To solve the above problems, a receiving apparatus according to claim 1 comprises: an interactive program receiving unit for receiving interactive program broadcasting which includes an absolute time when the broadcasting is executed, in a TDT (Time and Data Table) and includes at least one of video and audio and interactive programming, which are indicated, as a part; and a broadcast time obtaining unit for obtaining information of the absolute time when the broadcasting is performed, and managing the absolute time information.

[0021] According to the present invention, the interactive program broadcasting can be received together with the time information which is required in the reproduction of the broadcasting.

[0022] A recording apparatus according to claim 2, which records the interactive program received by the receiving apparatus of Claim 1, comprises: a recording program information creation unit for creating an SIT as program information for the recording of the interactive program; a time information management unit for recording the absolute time information obtained by the broadcast time obtaining unit, which information is recorded from the TDT, in either of a first descriptor or a second descriptor of the SIT (Selection Information Table); and a storage unit for storing the interactive program received by the interactive program receiving unit, in a recording area on a recording medium, and storing the absolute time information obtained from the first descriptor or the second descriptor of the SIT, in another area on the recording medium or in a recording apparatus.

[0023] According to the present invention, the interactive program broadcasting can be recorded together with the absolute time information which is required in the reproduction of the broadcasting.

[0024] A reproduction apparatus according to claim 3, which reproduces the interactive program recorded in the recording apparatus of Claim 2, comprises: a reproduction time obtaining unit for receiving the absolute time information stored in the storage unit, and reproducing a flow of time at the recording time; a reproduction instruction unit for detecting that the interactive program is recorded in the storage unit, and issuing a reproduction instruction automatically or in accordance with an instruction by a user; and an interactive program execution unit for receiving the reproduction instruction

and receiving the interactive program from the storage unit, thereby to execute the interactive program on the basis of the absolute time information obtained by the reproduction time obtaining unit, and the reproduction apparatus makes the interactive program execution unit reproduce the interactive program from the recording apparatus.

[0025] According to the present invention, the interactive program broadcasting can be received together with the time information which is required in the reproduction of the broadcasting, and reproduced at the same absolute time as that of the recording time.

[0026] A reproduction apparatus according to claim 4, which reproduces the interactive program recorded in the recording apparatus of claim 2, comprises: a reproduction time obtaining unit for obtaining the absolute time information stored in the storage unit; a relative time generation unit for generating relative time information on the basis of the absolute time information obtained by the reproduction time obtaining unit; an reproduction instruction unit for detecting that the interactive program is recorded in the storage unit, and issuing a reproduction instruction automatically or in accordance with an instruction by a user; and an interactive program execution unit for receiving the reproduction instruction and receiving the interactive program from the storage unit, thereby to execute the interactive program on the basis of the relative time information obtained by the relative time generation unit, and the reproduction apparatus makes the interactive program execution unit reproduce the interactive program from the recording apparatus.

[0027] According to the present invention, the interactive program broadcasting can be received together with the time information which is required in the reproduction of the broadcasting, and reproduced at a time different from that of the recording time.

[0028] A receiving apparatus according to claim 5 comprises: an interactive program receiving unit for receiving interactive program broadcasting which includes an absolute time when the broadcasting is executed and includes at least one of video and audio and interactive programming, which are indicated, as a part; and a broadcast time obtaining unit for obtaining information of the absolute time when the broadcasting is performed, and managing the absolute time information.

[0029] According to the present invention, the interactive program broadcasting can be received together with the time information which is required in the reproduction of the broadcasting.

[0030] A recording apparatus according to claim 6, which records the interactive program received by the receiving apparatus of claim 5, comprises: a recording program information creation unit for creating program information for the recording of the interactive program; a time information management unit for performing management when the absolute time information

obtained by the broadcast time obtaining unit is recorded on a recording medium; and a storage unit for storing the interactive program received by the interactive program receiving unit, in a recording area on the recording medium, and storing the absolute time information in another area on the recording medium or in a recording apparatus.

[0031] According to the present invention, the interactive program broadcasting can be recorded together with the absolute time information which is required in the reproduction of the broadcasting.

[0032] A reproduction apparatus according to claim 7, which reproduces the interactive program recorded in the recording apparatus of Claim 6, comprises: a reproduction time obtaining unit for receiving the absolute time information stored in the storage unit, and reproducing a flow of time at the recording time; a reproduction instruction unit for detecting that the interactive program is recorded in the storage unit, and issuing a reproduction instruction automatically or in accordance with an instruction by a user; and an interactive program execution unit for receiving the reproduction instruction and receiving the interactive program from the storage unit, thereby to execute the interactive program on the basis of the absolute time information obtained by the reproduction time obtaining unit, and the reproduction apparatus makes the interactive program execution unit reproduce the interactive program from the recording apparatus.

[0033] According to the present invention, the interactive program broadcasting can be received together with the time information which is required in the reproduction of the broadcasting, and reproduced at the same absolute time as that of the recording time.

[0034] A reproduction apparatus according to claim 8, which reproduces the interactive program recorded in the recording apparatus of Claim 6, comprises: an reproduction time obtaining unit for obtaining the absolute time information stored in the storage unit; a relative time generation unit for generating relative time information on the basis of the absolute time information obtained by the reproduction time obtaining unit; an reproduction instruction unit for detecting that the interactive program is recorded in the storage unit, and issuing a reproduction instruction automatically or in accordance with an instruction by a user; and an interactive program execution unit for receiving the reproduction instruction and receiving the interactive program from the storage unit, thereby to execute the interactive program on the basis of the relative time information obtained by the relative time generation unit, and the reproduction apparatus makes the interactive program execution unit reproduce the interactive program from the recording apparatus.

[0035] According to the present invention, the interactive program broadcasting can be received together with the time information which is required in the reproduction of the broadcasting, and reproduced at a time

different from that of the recording time.

[0036] A receiving apparatus according to claim 9 comprises: an interactive program receiving unit for receiving interactive program broadcasting which includes an absolute time when the broadcasting is executed, in a TDT and includes video and audio and interactive programming, which are designated, as a part; a time information changing unit for changing information of an absolute time of the interactive program received by the interactive program receiving unit, into information of a relative time from a program start time; a broadcast time obtaining unit for obtaining the information of the absolute time when the broadcasting is performed, and managing the absolute time information; and a relative time generation unit for generating information of a relative time from starting of the interactive program on the basis of the start time of the interactive program and the absolute time information obtained by the broadcast time obtaining unit.

[0037] According to the present invention, the interactive program broadcasting can be received together with the time information which is required in the reproduction of the broadcasting.

[0038] A recording apparatus according to claim 10, which records the interactive program received by the receiving apparatus of Claim 9, comprises: a recording program information creation unit for creating an SIT as program information for the recording of the interactive program; a time information management unit for recording the relative time information which is recorded from the absolute time information obtained by the broadcast time obtaining unit, in a second descriptor of the SIT; and a storage unit for storing the interactive program whose time information is changed by the time information changing unit, in an area on a recording medium, and storing the relative time information obtained from the second descriptor of the SIT, in another area on the recording medium or in a recording apparatus.

[0039] According to the present invention, the interactive program broadcasting can be recorded together with the relative time information which is required in the reproduction of the broadcasting.

[0040] According to a recording apparatus of claim 11, in the recording apparatus of Claim 10, the time information management unit records the absolute time information in a first descriptor or the second descriptor of the SIT, in addition to the relative time information.

[0041] According to the present invention, the interactive program broadcasting can be recorded together with the relative time information which is required in the reproduction of the broadcasting.

[0042] A reproduction apparatus according to claim 12, which reproduces the interactive program recorded in the recording apparatus of Claim 10 or 11, comprises: a reproduction time obtaining unit for receiving the relative time information stored in the storage unit, and reproducing a flow of time at the recording time; a repro-

duction instruction unit for detecting that the interactive program is recorded in the storage unit, and issuing a reproduction instruction automatically or in accordance with an instruction by a user; and an interactive program execution unit for receiving the reproduction instruction and receiving the interactive program from the storage unit, thereby to execute the interactive program on the basis of the relative time information obtained by the reproduction time obtaining unit, and the reproduction apparatus makes the interactive program execution unit reproduce the interactive program from the recording apparatus.

[0043] According to the present invention, the interactive program broadcasting can be received together with the time information which is required in the reproduction of the broadcasting, and reproduced at an absolute time different from that of the recording time.

[0044] A receiving apparatus according to claim 13 comprises: an interactive program receiving unit for receiving interactive program broadcasting which includes an absolute time when the broadcasting is executed and includes video and audio and interactive programming, which are designated, as a part; a time information changing unit for changing information of the absolute time of the interactive program received by the interactive program receiving unit, into information of a relative time from a program start time; a broadcast time obtaining unit for obtaining information of the absolute time when the broadcasting is performed, and managing the absolute time information; and a relative time generation unit for generating information of a relative time from starting of the interactive program on the basis of the start time of the interactive program and the absolute time information obtained by the broadcast time obtaining unit.

[0045] According to the present invention, the interactive program broadcasting can be received together with the time information which is required in the reproduction of the broadcasting.

[0046] A recording apparatus according to claim 14, which records the interactive program received by the receiving apparatus of Claim 13, comprises: a recording program information creation unit for creating program information for the recording of the interactive program; a time information management unit for performing management when the relative time information which is recorded from the absolute time information obtained by the broadcast time obtaining unit is recorded on a recording medium; and a storage unit for storing the interactive program whose time information is changed by the time information changing unit, in an area on the recording medium, and storing the relative time information in another area on the recording medium or in a recording apparatus.

[0047] According to the present invention, the interactive program broadcasting can be recorded together with the relative time information which is required in the reproduction of the broadcasting.

[0048] According to a recording apparatus of claim 15, in the recording apparatus of Claim 14, the time information management unit records the absolute time information in addition to the relative time information.

[0049] According to the present invention, the interactive program broadcasting can be recorded together with the absolute time information and the relative time information, which is required in the reproduction of the broadcasting.

[0050] A reproduction apparatus according to claim 16, which reproduces the interactive program recorded in the recording apparatus of Claim 14 or 15, comprises: a reproduction time obtaining unit for receiving the relative time information stored in the storage unit, and reproducing a flow of time at the recording time; a reproduction instruction unit for detecting that the interactive program is recorded in the storage unit, and issuing a reproduction instruction automatically or in accordance with an instruction by a user; and an interactive program execution unit for receiving the reproduction instruction and receiving the interactive program from the storage unit, thereby to execute the interactive program on the basis of the relative time information obtained by the reproduction time obtaining unit, and the reproduction apparatus makes the interactive program execution unit reproduce the interactive program from the recording apparatus.

[0051] According to the present invention, the interactive program broadcasting can be transmitted together with the time information which is required in the reproduction of the broadcasting, and reproduced at an absolute time different from that of the recording time.

[0052] A receiving apparatus according to claim 17 comprises: an interactive program receiving unit for receiving interactive program broadcasting wherein a time when the broadcasting is executed is indicated by a relative time from a start time of a program, which broadcasting includes video and audio and interactive programming, as a part and includes an absolute time in a TDT; a start time receiving unit for receiving start time information of the interactive program; and a broadcast time obtaining unit for obtaining information of the absolute time when the broadcasting is performed, and managing the absolute time information.

[0053] According to the present invention, the interactive program broadcasting can be received together with the time information which is required in the reproduction of the broadcasting.

[0054] A recording apparatus according to claim 18, which records the interactive program received by the receiving apparatus of Claim 17, comprises: a recording program information creation unit for creating an SIT as program information for the recording of the interactive program; a time information management unit for recording the absolute time information obtained by the broadcast time obtaining unit and relative time information from the start time of the program obtained by the

interactive program receiving unit, in a second descriptor of the SIT; and a storage unit for storing the interactive program received by the interactive program receiving unit, in a recording area on a recording medium, and storing the absolute time information and the relative time information, which is obtained from the second descriptor of the SIT, in another area on the recording medium or in a recording apparatus.

[0055] According to the present invention, the interactive program broadcasting can be recorded together with the time information which is required in the reproduction of the broadcasting.

[0056] According to a recording apparatus of claim 19, in the recording apparatus of Claim 18, the time information management unit records the absolute time information in a first descriptor of the SIT.

[0057] According to the present invention, the interactive program broadcasting can be recorded together with the time information which is required in the reproduction of the broadcasting.

[0058] A reproduction apparatus according to claim 20, which reproduces the interactive program recorded in the recording apparatus of Claim 18 or 19, comprise: a reproduction time obtaining unit for receiving the absolute time information stored in the storage unit, and reproducing a flow of time at the recording time; a reproduction instruction unit for detecting that the interactive program is recorded in the storage unit, and issuing a reproduction instruction automatically or in accordance with an instruction by a user; and an interactive program execution unit for receiving the reproduction instruction and receiving the interactive program from the storage unit, to generate relative time information on the basis of the absolute time information obtained by the reproduction time obtaining unit and the program start time information obtained from the storage unit, thereby to execute the interactive program, and the reproduction apparatus makes the interactive program execution unit reproduce the interactive program from the recording apparatus.

[0059] According to the present invention, the interactive program broadcasting can be transmitted together with the time information which is required in the reproduction of the broadcasting, and reproduced at an absolute time different from that of the recording time.

[0060] A receiving apparatus according to claim 21 comprises: an interactive, program receiving unit for receiving interactive program broadcasting wherein a time when the broadcasting is executed is indicated by a relative time from a start time of a program, which broadcasting includes video and audio and interactive programming, as a part, and includes an absolute time; a start time receiving unit for receiving start time information of the interactive program; and a broadcast time obtaining unit for obtaining information of the absolute time when the broadcasting is performed, and managing the absolute time information.

[0061] According to the present invention, the interactive program broadcasting can be received together with the time information which is required in the reproduction of the broadcasting.

[0062] A recording apparatus according to claim 22, which records the interactive program received by the receiving apparatus of Claim 21, comprises: a recording program information creation unit for creating program information for the recording of the interactive program; a time information management unit for recording the absolute time information obtained by the broadcast time obtaining unit and information of a relative time from the start time of the program obtained by the interactive program receiving unit; and a storage unit for storing the interactive program received by the interactive program receiving unit, in a recording area on a recording medium, and storing the absolute time information and the relative time information, in another area on the recording medium or in a recording apparatus.

[0063] According to the present invention, the interactive program broadcasting can be recorded together with the time information which is required in the reproduction of the broadcasting.

[0064] A reproduction apparatus according to claim 23, which reproduces the interactive program recorded in the recording apparatus of Claim 22, comprises: a reproduction time obtaining unit for receiving the absolute time information stored in the storage unit, and reproducing a flow of time at the recording time; a reproduction instruction unit for detecting that the interactive program is recorded in the storage unit, and issuing a reproduction instruction automatically or in accordance with an instruction by a user; and an interactive program execution unit for receiving the reproduction instruction and receiving the interactive program from the storage unit, to generate relative time information on the basis of the absolute time information obtained by the reproduction time obtaining unit and the program start time information obtained from the storage unit, thereby to execute the interactive program, and the reproduction apparatus makes the interactive program execution unit reproduce the interactive program from the recording apparatus.

[0065] According to the present invention, the interactive program broadcasting can be transmitted together with the time information which is required in the reproduction of the broadcasting, and reproduced at an absolute time different from that of the recording time.

[0066] A receiving apparatus according to claim 24 comprises: an interactive program receiving unit for receiving interactive program broadcasting wherein a time when the broadcasting is executed is indicated by a relative time from a start time of a program, which broadcasting includes video and audio and interactive programming, as a part and includes an absolute time in a TDT; a start time receiving unit for receiving start time information of the interactive program; a broadcast

time obtaining unit for obtaining information of the absolute time when the broadcasting is performed, and managing the absolute time information; and a relative time generation unit for generating information of a relative time from starting of the interactive program, on the basis of the start time information of the interactive program, which is obtained by the start time receiving unit and the absolute time information obtained by the broadcast time obtaining unit.

[0067] According to the present invention, the interactive program broadcasting can be received together with the time information which is required in the reproduction of the broadcasting.

[0068] A recording apparatus according to claim 25, which records the interactive program received by the receiving apparatus of Claim 24, comprises: a recording program information creation unit for creating a SIT as program information for the recording of the interactive program; a time information management unit for recording relative time information which is recorded from the absolute time information obtained by the broadcast time obtaining unit, in a second descriptor of the SIT; and a storage unit for storing the interactive program in a recording area on a recording medium, and storing the relative time obtained from the second descriptor of the SIT, in another area on the recording medium or in a recording apparatus.

[0069] According to the present invention, the interactive program broadcasting can be recorded together with the time information which is required in the reproduction of the broadcasting.

[0070] According to a recording apparatus of claim 26, in the recording apparatus of Claim 25, the time information management unit records the absolute time information in a first descriptor of the SIT.

[0071] According to the present invention, the interactive program broadcasting can be recorded together with the time information which is required in the reproduction of the broadcasting.

[0072] A reproduction apparatus according to claim 27, which reproduces the interactive program recorded in the recording apparatus of Claim 25 or 26, comprises: a reproduction time obtaining unit for receiving the relative time information stored in the storage unit, and reproducing a flow of time at the recording time; a reproduction instruction unit for detecting that the interactive program is recorded in the storage unit, and issuing a reproduction instruction automatically or in accordance with an instruction by a user; and an interactive program execution unit for receiving the reproduction instruction and receiving the interactive program from the storage unit, thereby to execute the interactive program on the basis of the relative time information obtained by the reproduction time obtaining unit, and the reproduction apparatus reproduces the interactive program from the recording apparatus.

[0073] According to the present invention, the interactive program broadcasting can be transmitted

together with the time information which is required in the reproduction of the broadcasting, and reproduced at an absolute time different from that of the recording time.

5 [0074] A receiving apparatus according to claim 28 comprises: an interactive program receiving unit for receiving interactive program broadcasting wherein a time when the broadcasting is executed is indicated by a relative time from a start time of a program, which
10 broadcasting includes video and audio and interactive programming, as a part; a start time receiving unit for receiving start time information of the interactive program; a broadcast time obtaining unit for obtaining information of the absolute time when the broadcasting is
15 performed, and managing the absolute time information; and a relative time generation unit for generating information of a relative time from starting of the interactive program, on the basis of the start time information of the interactive program, which is obtained by the start
20 time receiving unit and the absolute time information obtained by the broadcast time obtaining unit.

[0075] According to the present invention, the interactive program broadcasting can be received together with the time information which is required in the reproduction of the broadcasting.

[0076] A recording apparatus according to claim 29, which records the interactive program received by the receiving apparatus of Claim 28, comprises: a recording
25 program information creation unit for creating program information for the recording of the interactive program; a time information management unit for recording relative time information which is recorded from the absolute time information obtained by the broadcast time obtaining unit; and a storage unit for storing the interactive
30 program in a recording area on a recording medium, and storing the relative time in another area on the recording medium or in a recording apparatus.

[0077] According to the present invention, the interactive program broadcasting can be recorded together with the time information which is required in the reproduction of the broadcasting.

[0078] A reproduction apparatus according to claim 30, which reproduces the interactive program recorded in the recording apparatus of Claim 29, comprises: a
35 reproduction time obtaining unit for receiving the relative time information stored in the storage unit, and reproducing a flow of time at the recording time; a reproduction instruction unit for detecting that the interactive program is recorded in the storage unit, and issuing a
40 reproduction instruction automatically or in accordance with an instruction by a user; and an interactive program execution unit for receiving the reproduction instruction and receiving the interactive program from the storage
45 unit, thereby to execute the interactive program on the basis of the relative time information obtained by the reproduction time obtaining unit, and the reproduction
50 apparatus reproduces the interactive program from the recording apparatus.

[0079] According to the present invention, the interactive program broadcasting can be transmitted together with the time information which is required in the reproduction of the broadcasting, and reproduced at an absolute time different from that of the recording time.

[0080] According to a receiving apparatus of claim 31, in the receiving apparatus of any of Claims 1, 5, 9, 13, 17, 21, 24, and 28, the time information transmitted together with a transport stream including the interactive program is information of a relative time from starting of each program.

[0081] According to the present invention, the interactive program broadcasting can be received together with the time information which is required in the reproduction of the broadcasting.

[0082] According to a recording apparatus of claim 32, the recording apparatus of any of Claims 2, 6, 10, 14, 18, 22, 25, and 29, comprises: recording medium running state change detection means for detecting a change in a running state of the recording medium in the storage unit; and running state information updating means for updating running state change information which reflects the change in the running state of the recording medium, when the recording medium running state change detection means detect the change in the running state of the recording medium.

[0083] According to the present invention, the interactive program broadcasting can be recorded together with the time information which is required in the reproduction of the broadcasting.

[0084] According to a recording apparatus of claim 33, in the recording apparatus of Claim 32, the running state information updating means write the running state change information in the SIT.

[0085] According to the present invention, the interactive program broadcasting can be recorded together with the time information which is required in the reproduction of the broadcasting.

[0086] According to a recording apparatus of claim 34, in the recording apparatus of Claim 32, the running state information updating means update the running state change information in program units.

[0087] According to the present invention, the interactive program broadcasting can be recorded together with the time information which is required in the reproduction of the broadcasting.

[0088] According to a recording apparatus of claim 35, in the recording apparatus of Claim 32, the running state information updating means update the running state change information in recording apparatus units.

[0089] According to the present invention, the interactive program broadcasting can be recorded together with the time information which is required in the reproduction of the broadcasting.

Brief Description of the Drawings

[0090]

Fig.1 is a block diagram illustrating structures of a receiving apparatus, a recording apparatus, and a reproduction apparatus, according to a first embodiment of the present invention.

Fig.2 is a block diagram superordinate-conceptually representing a variation of the receiving apparatus, the recording apparatus, and the reproduction apparatus of fig.1.

Fig.3 is a block diagram superordinate-conceptually representing a variation of the receiving apparatus, the recording apparatus, and the reproduction apparatus of fig.1.

Fig.4 is a block diagram superordinate-conceptually representing a variation of the receiving apparatus, the recording apparatus, and the reproduction apparatus of fig.1.

Fig.5 is a block diagram superordinate-conceptually representing a variation of the receiving apparatus, the recording apparatus, and the reproduction apparatus of fig.1.

Fig.6 is a block diagram superordinate-conceptually representing a variation of the receiving apparatus, the recording apparatus, and the reproduction apparatus of fig.1.

Fig.7 is a block diagram superordinate-conceptually representing a variation of the receiving apparatus, the recording apparatus, and the reproduction apparatus of fig.1.

Fig.8 is a block diagram superordinate-conceptually representing a variation of the receiving apparatus, the recording apparatus, and the reproduction apparatus of fig.1.

Fig.9 is a block diagram superordinate-conceptually representing a variation of the receiving apparatus, the recording apparatus, and the reproduction apparatus of fig.1.

Fig.10 is a block diagram superordinate-conceptually representing a variation of the receiving apparatus, the recording apparatus, and the reproduction apparatus of fig.1.

Fig.11 is a block diagram superordinate-conceptually representing a variation of the receiving apparatus, the recording apparatus, and the reproduction apparatus of fig.1.

Fig.12 is a block diagram illustrating a structure of a conventional CS broadcasting receiver.

Fig.13 is an explanatory diagram illustrating a structure of a transport stream.

Fig.14 is an explanatory diagram illustrating a packet ID of a PAT.

Fig.15 is an explanatory diagram illustrating a PMT as a PID of a packet.

Fig.16 is an explanatory diagram illustrating an example of a hierarchical structure of a transport

stream.

Fig.17 is an explanatory diagram illustrating a packet ID of a NIT.

Fig.18 is an explanatory diagram illustrating a data structure of a DIT.

Fig.19 is an explanatory diagram illustrating a data structure of a SIT.

Fig.20 is a block diagram illustrating time information and version number changing means of a receiving apparatus, a recording apparatus, and a reproduction apparatus, according to a second embodiment of the present invention.

Figs.21(a) to 21(h) are time charts showing a fast forward operation and a normal reproduction in the receiving apparatus, the recording apparatus, and the reproduction apparatus of the second embodiment. Fig.21(a) is a diagram showing a state where information is successively recorded in recording of programs. Fig.21(b) is a diagram showing a state where a program 1 of a channel A is interrupted and changed into a program 2. Fig.21(c) is a diagram showing a state where the waves shown in fig.21(b) are recorded on a tape. Fig.21(d) is a diagram showing a state where part of the tape is fast-forwarded during reproduction of the tape. Fig.21(e) is a diagram showing a state where a program is replace with another program. Fig.21(f) is a diagram showing a state where recording of a program is interrupted in the middle of the recording of the program and then recording is resumed from the beginning of a next program. Fig.21(g) is a diagram showing a case where a tape on which the recording is performed in the state shown in fig.21(f) is successively normal-reproduced. Fig.21(h) is a diagram showing a state where the fast forward is performed in a section including a DIT which is added to a part corresponding to the beginning of the next program.

Fig.22 is a diagram illustrating a format of an interactive program.

Fig.23 is a diagram illustrating a structure of a SIT in the receiving apparatus, the recording apparatus, and the reproduction apparatus of the second embodiment.

Fig.24 is a diagram showing effects which are obtained when the fast forward operation and the normal reproduction is performed in the receiving apparatus, the recording apparatus, and the reproduction apparatus of the second embodiment.

Best Mode for Carrying out the Invention

Embodiment 1.

[0091] Fig.1 illustrates a transmitting apparatus, a receiving apparatus, and a recording apparatus according to a first embodiment of the present invention. Numeral 1 denotes an antenna for receiving CS broad-

casting. Numeral 2 denotes a receiving unit for receiving the CS broadcasting received by the antenna 1, and demodulating the broadcasting. Numeral 3 denotes a transport decoder for descrambling an MPEG transport stream that is received and demodulated by the receiving unit 2, and extracting necessary information from the transport stream. Numeral 4 denotes an AV decoder for decoding MPEG data concerning video or audio (AV) extracted by the transport decoder 3. Numeral 5 denotes an OSD (On Screen Display) inserting unit for performing superimposition to a video output among outputs of the AV decoder 4. Numeral 6 denotes a display for displaying an output of the OSD (On Screen Display) inserting unit 5. Numeral 7 denotes a speaker for outputting an audio output among the outputs of the AV decoder 4, as a sound.

[0092] In addition, numeral 8 denotes a CPU which is added in the first embodiment. The CPU processes data which is stored in a RAM 9 on the basis of programming stored in a ROM 10, thereby to execute programming which realizes an "interpreter" for interpreting and executing "programming" constituting an interactive program, or control the whole of the receiving apparatus, the recording apparatus, and the reproduction apparatus.

[0093] Numeral 11 denotes a composition unit for rewiring time information included in the MPEG transport stream that is extracted by the transport decoder 3, as required. The composition unit restructures program information as a SIT when it is stored in a DVHS recording/reproduction apparatus 12.

[0094] Numeral 12 denotes a DVHS recording/reproduction apparatus for recording the MPEG transport stream output from the composition unit 11 as it is in the digital format, and reproducing the transport stream.

[0095] Next, an operation will be described. CS broadcast waves relayed from a broadcasting station (not shown) by a communication satellite (CS) are received by the antenna 1 for receiving the CS broadcasting, and introduced into a digital CS television receiver.

[0096] In the digital CS television receiver, the receiving unit 2 selects a CS broadcasting station selected by a viewer, receives waves only from the selected CS broadcasting station, and demodulates the waves.

[0097] Accordingly, an MPEG transport stream is demodulated from the waves of the selected CS broadcasting station and this is transmitted to the transport decoder 3.

[0098] The transport decoder 3 descrambles the MPEG transport stream that is scrambled previously by the broadcasting station, so that original video can be obtained when MPEG decoding is performed later. Then, the transport decoder extracts necessary information, i.e., MPEG data concerning video or audio (AV), from the descrambled MPEG transport stream.

[0099] The AV decoder 4 executes MPEG decoding algorithm to the AV MPEG data that is extracted by the transport decoder 3, thereby to expand the data.

[0100] The On Screen Display inserting unit 5 generates On Screen information such as a channel selected by the viewer or a program table, and superimposes the information on an original video signal demodulated by the AV decoder 4 to output the signal.

[0101] The display 6 projects the output of the On Screen Display inserting unit 5, thereby to normally display the original video of the CS broadcasting, and when the channel is selected, display video that is obtained by superimposing the information such as the channel selected by the viewer on the original video, until a predetermined time elapses thereafter.

[0102] The speaker 7 outputs an audio signal that is expanded by the AV decoder 4, as a sound.

[0103] The composition unit 11 changes time information that is added by the broadcasting station to the MPEG transport stream descrambled by the transport decoder 3, as required.

That is, ① when the time information included in the MPEG transport stream (or data stream) transmitted from the broadcasting station is absolute time information, the composition unit outputs the information without changing. In this case, this absolute time information is transmitted by a TDT, in the case of MPEG transport stream.

② Even when the time information included in the MPEG transport stream (or data stream) is the absolute time information, the composition unit sometimes changes the absolute time information to relative information from a program start time as well as outputs an elapsed time of the program.

③ When the time information included in the MPEG transport stream (or data stream) is the relative time information, the composition unit changes the relative time information to the absolute time information as well as writes the program start time.

④ Even when the time information included in the MPEG transport stream (or data stream) is the relative time information, the composition unit outputs the time information without changing.

[0104] The DVHS recording/reproduction apparatus 12 records the MPEG transport stream (or data stream) including the time information which is changed by the composition unit 11 as required, on a widespread VHS-standard video cassette tape, as it is in the digital format.

[0105] At the reproduction time, the DVHS recording/reproduction apparatus transmits a transport stream (or data stream) which is almost the same as that transmitted from the broadcasting station, to the transport decoder 3 so as to reproduce the video and audio of the recorded program.

[0106] Accordingly, at the reproduction time in the case where the recording ① is performed, contents of the recorded program are reproduced according to the absolute time, on the basis of the absolute time recorded on the tape.

[0107] At the reproduction time in the case where the recording ② is performing, the contents of the recorded program are reproduced according to the relative time recorded on the tape.

[0108] At the reproduction time in the case where the recording ③ is performed, a relative time is obtained from a program start time which is previously recorded on the tape and an absolute time, and the contents of the program are reproduced according to the relative time.

[0109] At the reproduction time in the case where the recording ④ is performed, the contents of the recorded program are reproduced according to the relative time which is previously recorded on the tape.

[0110] Generally in the digital broadcasting, various types of information such as video and audio are transmitted by a transport stream as shown in fig.13. Fig.13 is reprinted from fig.11-16 on page 248 in "Latest Manual of MPEG" published on August 1, 1994, by ASCII Corporation. In the figure, numeral 601 denotes a transport stream. The transport stream is constructed by arranging a lot of transport stream packets (hereinafter referred to as TS packet or TSP) 602 of fixed length. A packet ID (PID) 607 indicating a type of data contained in each packet is added to the TS packet 602. The TS packet 602 further includes a synchronous byte information 603 for allowing a decoder to detect a head of the TS packet, an error indicator information 604 for indicating the presence or absence of a bit error in this packet, a unit start indicator information 605 for indicating that a new PES packet or section starts from this TS packet, a packet priority information 606 for indicating significance of Pay Load in this packet, a scramble control information 608 for indicating the presence or absence, and a class of scrambling in this packet, an adaptation field control information 609 for indicating the presence or absence of an adaptation field and the presence or absence of the Pay Load in this packet, a cyclic counter information 610 which is information for detecting whether a packet having the same PID is partly rejected midway, an adaptation field information 611 to which additional information concerning an individual stream or stuffing byte (inefficient data byte) can be optionally registered, and a Pay Load information 612 as effective packet data.

[0111] In addition, the adaptation field information 611 includes a discontinuous indicator information 613 for indicating that a system clock is reset and contents are changed in a next packet having the same PID, a random access indicator information 614 for indicating a sequence header of video or a frame start of audio and indicating an entry point of a random access, a stream priority indicator information 615 for indicating that a

important part of the individual stream is in the Pay Load of this packet, and a splice count-down information 616 for indicating the number of transport packets having the same PID before an editable point.

[0112] Hereinafter, to simplify the description, assume that the transport stream transmits two programs, i.e., a program 1 and a program 2. In this case, different packet IDs are given to a TS packet for video of the program 1 (hereinafter referred to as TSP video 1), a TS packet for audio of the program 1 (hereinafter referred to as TSP audio 1), a TS packet for video of the program 2 (hereinafter referred to as TSP video 2), and a TS packet for audio of the program 2 (hereinafter referred to as TSP audio 2), respectively. Further, a TS packet for transmitting information indicating which packet ID is assigned to which information, i.e., a PMT (Program Map Table), is set in each program.

[0113] Assume that a PMT corresponding to the program 1 is referred to as TSP-PMT 1 and a PMT corresponding to the program 2 is referred to as TSP-PMT 2. The PMT contains a packet ID of a TS packet for video or audio of its corresponding program. In addition, there are a TS packet for transmitting a PAT (Program Association Table) which represents a correspondence between a packet ID of a TS packet containing the PMT and a program number (which TS packet is hereinafter referred to as TSP-PAT), and a TS packet for transmitting a NIT which represents a state of a data transmission system of the broadcasting (hereinafter referred to as TSP-NIT) and the like, as information concerning the whole broadcasting. A packet ID is assigned to each TS packet.

[0114] Fig.14 is reprinted from fig.8-9 on page 144 in "Practical Manual of MPEG" published on November 1, 1995, by ASCII Corporation. This figure illustrates a PAT that represents the correspondence between each program number (16 bits) and a packet ID of a PMT of that program. The PAT includes a table ID 701 for indicating a class of a table, a transport stream ID 702 for identifying a stream (multiplexed coded data), a version number information 703 to which the addition is performed at every renewal of the content in the table, a current next indicator information 704 which is used to identify new and old versions when they are transmitted simultaneously, a program number information 705 for identifying each program, a network PID 706 for indicating a PID of a network information table, a program map PID 707 for indicating a PID of a program map table and the like.

[0115] Further, fig.15 is reprinted from fig.8-10 on page 145 in the above-described "Practical Manual of MPEG". This figure illustrates a PMT that represents a PID of a packet for transmitting a stream such as video, audio and additional data which constitute a program, for each program number. The PMT includes a table ID 801 for indicating a class of a table, a PCR PID 802 for indicating a PID of a packet which contains a clock (PCR) as a reference at the decoding time, a stream

type information 803 for indicating a type of information included in a data stream and the like.

[0116] Further, fig.16 is reprinted from fig.11-17 on page 250 in the above-described "Latest Manual of MPEG". This figure illustrates an example of a hierarchical structure of a transport stream. PMTs 902 and 903 exist in one layer below the PAT 901, a video stream 904 and an audio stream 905 exist in one layer below the PMT 902, and a video stream 906 and an audio stream 907 exist in one layer below the program map table 903, respectively.

[0117] Fig.17 is reprinted from fig.8-11 on page 146 in the above-described "Practical Manual of MPEG". This figure illustrates a NIT that represents physical intonation concerning a transmission path. The NIT includes a table ID 1001 for indicating a class of a table, a network ID 1002 for identifying a network and the like.

[0118] As examples of the transport streams to be input and output between the transport decoder and the DVHS recording/reproduction apparatus, there are any transport streams before being demultiplexed or partial transport streams. The partial transport stream is a bit-stream that is obtained by removing transport packets having no relation to particularly selected one or more programs, from transport packets of MPEG2.

[0119] A DIT indicates a change point at which program arrangement information of a program transmitted by a partial transport stream may be discontinuous. A SIT shows information for indicating information which concerns a program transmitted by a partial transport stream.

[0120] Fig.18 illustrates a data structure of the above-described DIT. The DIT includes information 1501 for identifying a table, information 1502 for indicating a selection syntax, information 1503 for showing a section length, and information 1504 for showing a change flag and the like.

[0121] Fig.19 illustrates a data structure of the above-described SIT. The SIT includes information 1601 for identifying a table, information 1602 for indicating a selection syntax, information 1603 for showing a section length, information 1604 for showing a version number, information 1605 for showing a current next instruction, information 1606 for showing a section number, information 1607 for showing a last section number, information 1608 for showing a transmission information loop length, an area 1609 for a descriptor, information 1610 for a service identification, information 1611 for showing a progress state, information 1612 for showing a service loop length, an area 1613 for a descriptor, an area 1614 for a CRC and the like.

[0122] As examples of a descriptor to be described in the SIT, the following are cited:

[0123] That is, discrimination of broadcasting distributors, control of reproduction of a VTR, display of a channel banner of EPG, display of broadcast contents and the like.

[0124] Among these descriptors, interactive pro-

gram control information corresponds to a "player", and it interprets "programming" which is transmitted by a transport stream on the basis of the flow of time made by absolute time information included in a flag to be used, by using an interpreter realized by programming of the CPU in the receiving unit.

[0125] This "programming" can, for example, realize a simple moving image reproduction of moving a simple moving image in the background of a still picture, or an interactive exchange of a viewer's responding to a questionnaire which is sent by a broadcasting station.

[0126] This "programming" creates an image that is moved on the basis of the flow of time made by the absolute time information transmitted by a transport stream.

[0127] Here, the broadcasting station transmits the absolute time information as time information because generally in the satellite digital broadcasting, there is a possibility of a time lag from the ground time. Accordingly, it transmits the time as a reference for processing by the receiving apparatus.

[0128] Figs.2 to 11 represent superordinate-conceptually variations of the receiving unit, the recording unit, and the reproducing unit.

[0129] First, an apparatus shown in fig.2 does not manipulate contents of a service (program) and writes these contents and absolute time information on a tape. Then, at the reproduction time, the apparatus reproduces the contents on the basis of the absolute time information recorded on the tape.

[0130] In fig.2, numeral 100 denotes an interactive program receiving unit for receiving interactive program broadcasting which includes an absolute time in a TDT and includes at least one of video and audio and interactive programming, as a part, which absolute time is indicated therein. Numeral 110 denotes a broadcast time obtaining unit for obtaining information of the absolute time when the broadcasting is to be performed, and managing the absolute time information. Numeral 112 denotes a time information management unit for recording the absolute time information obtained by the broadcast time obtaining unit 110, which absolute time information is recorded from the TDT, in a first descriptor in a SIT. Numeral 113 denotes a recording program information creation unit for creating a SIT as program information for the recording of the interactive program. Numeral 120 denotes a storage unit for storing the interactive program received by the interactive program receiving unit 100, in a recording area on a recording medium, and recording the absolute time information obtained from the first descriptor in the SIT, in another area on the recording medium or in a recording apparatus. Numeral 130 denotes a reproduction time obtaining unit for receiving the absolute time information stored in the storage unit 120, and reproducing a flow of time in the recording. Numeral 140 denotes a reproduction instruction unit for detecting that the interactive program is recorded in the storage unit 120, and issuing a repro-

duction instruction automatically or in accordance with an instruction by a user. Numeral 150 denotes an interactive program execution unit for receiving the reproduction instruction and receiving the interactive program from the storage unit 120, thereby to execute the interactive program on the basis of the absolute time obtained from the reproduction time obtaining unit 130.

[0131] Next, the operation will be described. The interactive program receiving unit 100 corresponds to the CS antenna 1, the receiving unit 2, and the transport decoder 3 in fig.1, and it selects an interactive program from an MPEG transport stream transmitted by the broadcasting station. The broadcast time obtaining unit 110 corresponds to the CPU 8 in fig.1, and it extracts the absolute time information from the TDT of the MPEG transport stream transmitted by the broadcasting station and manages the information.

[0132] The time information management unit 112 corresponds to the CPU 8 in fig.1, and it records the absolute time information obtained by the broadcast time obtaining unit 110, which absolute time information is recorded from the TDT, in the first descriptor in the SIT.

[0133] The recording program information creation unit 113 corresponds to the CPU 8 in fig.1, and it creates the SIT as program information for the recording of the interactive program.

[0134] The storage unit 120 corresponds to the DVHS recording/reproduction apparatus 12 in fig.1, and it records the MPEG transport stream transmitted by the broadcasting station, together with the absolute time information obtained by the broadcast time obtaining unit 110, on a VHS video cassette, as it is in the digital format. At that time, the time information to be recorded is input to the first descriptor in the SIT. Accordingly, even when a program requiring time information, like the programming of the interactive program is included in the MPEG transport stream, this can be recorded without a hitch.

[0135] The reproduction instruction unit 140 corresponds to a so-called remote control apparatus or the CPU 8 in fig.1, and it detects that the interactive program is recorded in the storage unit 120 and issues the reproduction instruction automatically or in accordance with an instruction by a user.

[0136] The reproduction time obtaining unit 130 corresponds to the CPU 8 in fig.1, and it reproduces the time information reproduced from the storage unit 120 at the reproduction time.

[0137] The interactive program reproduction unit 150 corresponds to the CPU 8 in fig.1, and it interprets the programming of the interactive program included in the MPEG transport stream which is reproduced from the storage unit 120, in accordance with an instruction of the reproduction instruction unit 140, by an interpreter realized by programming of the CPU 8. Thereby, it can reproduce the so-called interactive program of displaying an image including a question which is previ-

ously prepared by the broadcasting station, making a viewer respond to the question by a remote control operation or the like, and transmitting the response to the broadcasting station.

[0138] In this apparatus shown in fig.2, the absolute time information included in the MPEG transport stream is written on the tape, whereby the interactive program can be reproduced. However, the reproduction cannot be executed by utilizing the time information.

[0139] In this case, this programming of the interactive program is one which supports video and can realize display of simple graphics or number inputting.

[0140] In the apparatus of fig.2, the absolute time information is recorded in the first descriptor of the SIT, which can record only the absolute time. However, the absolute time information can be recorded in a second descriptor which can record both of the absolute time and a relative time from starting of the program.

[0141] In addition, the SIT is recorded in another recording area on the tape of a DVHS cassette or the like. However, the SIT can be recorded in a recording apparatus such as a memory other than the tape of a DVC or the like, or in a memory of a recording/reproduction apparatus such as a DVHS deck itself. Here, the another recording area on the DVHS cassette tape, the DVC cassette memory, and the memory of the DVHS deck can record both of the absolute time and the relative time from the starting of the program.

[0142] An apparatus shown in fig.3 does not manipulate contents of a service (program) and writes these contents and absolute time information on a tape. Then, at the reproduction time, the apparatus reproduces the contents on the basis of the absolute time information recorded on the tape.

[0143] This apparatus corresponds to the apparatus shown in fig.2. However, while the apparatus of fig.2 utilizes the absolute time information transmitted by the TDT of the MPEG transport stream, the apparatus of fig.3 utilizes absolute time information transmitted in ordinary transmission formats, without limiting particularly to the TDT.

[0144] In fig.3, numeral 200 denotes an interactive program receiving unit for receiving interactive program broadcasting which includes an absolute time and includes at least one of video and audio and interactive programming, as a part, which absolute time is indicated therein. Numeral 210 denotes a broadcast time obtaining unit for obtaining information of the absolute time when the broadcasting is to be performed, and managing the absolute time information. Numeral 212 denotes a time information management unit for performing management in the recording of the absolute time information obtained by the broadcast time obtaining unit 210. Numeral 213 denotes a recording program information creation unit for creating program information for the recording of the interactive program. Numeral 220 denotes a storage unit for storing the interactive program received by the interactive program

receiving unit 200, in a recording area on a recording medium, and recording the absolute time information, in another area on the recording medium or in a recording apparatus. Numeral 230 denotes a reproduction time obtaining unit for receiving the absolute time information stored in the storage unit 220, and reproducing a flow of time in the recording. Numeral 240 denotes a reproduction instruction unit for detecting that the interactive program is recorded in the storage unit 220, and issuing a reproduction instruction automatically or in accordance with an instruction by a user. Numeral 250 denotes an interactive program execution unit for receiving the reproduction instruction and receiving the interactive program from the storage unit 220, thereby to execute the interactive program on the basis of the absolute time obtained from the reproduction time obtaining unit 230.

[0145] Next, the operation will be described. The interactive program receiving unit 200 corresponds to the CS antenna 1, the receiving unit 2, and the transport decoder 3 in fig.1, and it selects an interactive program from a data stream transmitted by the broadcasting station. The broadcast time obtaining unit 210 corresponds to the CPU 8 in fig.1, and it extracts the absolute time information from the data stream transmitted by the broadcasting station, and manages the information.

[0146] The time information management unit 212 corresponds to the CPU 8 in fig. 1, and it performs management in the recording of the absolute time information obtained by the broadcast time obtaining unit 210.

[0147] The recording program information creation unit 213 corresponds to the CPU 8 in fig.1, and it creates the program information for the recording of the interactive program.

[0148] The storage unit 220 corresponds to the DVHS recording/reproduction apparatus 12 in fig.1, and it records the data stream transmitted by the broadcasting station, together with the absolute time information obtained by the broadcast time obtaining unit 210, on a VHS video cassette, as it is in the digital format. At that time, the time information to be recorded is input to a first area in a recording format of the VHS video cassette. Thereby, even when a program requiring the time information, like the programming of the interactive program is included in the data stream from the broadcasting station, this can be recorded without a hitch.

[0149] The reproduction instruction unit 240 corresponds to a so-called remote control apparatus or the CPU 8 in fig.1, and it detects that the interactive program is recorded in the storage unit 220 and issues the reproduction instruction automatically or in accordance with an instruction by a user.

[0150] The reproduction time obtaining unit 230 corresponds to the CPU 8 in fig.1, and it reproduces the time information reproduced from the storage unit 220 at the reproduction time.

[0151] The interactive program reproduction unit 250 corresponds to the CPU 8 in fig.1, and it interprets the programming of the interactive program included in

the data stream which is reproduced from the storage unit 220, in accordance with an instruction of the reproduction instruction unit 240, by an interpreter realized by programming of the CPU 8. Thereby, it can reproduce the so-called interactive program of displaying an image including a question which is previously prepared by the broadcasting station, making a viewer respond to the question by a remote control operation or the like, and transmitting the response to the broadcasting station.

[0152] In this apparatus shown in fig.3, the absolute time information included in the data stream is written on the tape, whereby the interactive program can be reproduced. However, the reproduction cannot be executed by utilizing the time information.

[0153] In addition, information is recorded in another recording area on the tape of a DVHS cassette or the like. However, the program information can be recorded in a recording apparatus such as a memory other than the tape of a DVC or the like, or in a memory of a recording/reproduction apparatus such as a DVHS deck itself. Here, the another recording area on the DVHS cassette tape, the DVC cassette memory, and the memory of the DVHS deck can record both of the absolute time and the relative time from starting of the program.

[0154] In addition, an apparatus shown in fig.4 does not manipulate contents of a service (program) and writes these contents and absolute time information on a tape. Then, at the reproduction time, the apparatus generates relative time information on the basis of the absolute time information recorded on the tape, and reproduces the contents on the basis of the relative time information.

[0155] In fig.4, numeral 100 denotes an interactive program receiving unit for receiving interactive program broadcasting which includes an absolute time in a TDT and includes at least one of video and audio and an interactive program, as a part, which absolute time is indicated therein. Numeral 110 denotes a broadcast time obtaining unit for obtaining information of the absolute time when the broadcasting is to be performed, and managing the absolute time information. Numeral 112 denotes a time information management unit for recording the absolute time information obtained by the broadcast time obtaining unit 110, which absolute time information is recorded from the TDT, in a first descriptor in a SIT. Numeral 113 denotes a recording program information creation unit for creating a SIT as program information for the recording of the interactive program. Numeral 120 denotes a storage unit for storing the interactive program received by the interactive program receiving unit 100 in a recording area on a recording medium, and recording the absolute time information obtained from the first descriptor in the SIT in another area on the recording medium or in a recording apparatus. Numeral 130 denotes a reproduction time obtaining unit for receiving the absolute time information stored in the storage unit 120. Numeral 160 denotes a relative

time generation unit for generating relative time information on the basis of the absolute time information obtained by the reproduction time obtaining unit 130. Numeral 140 denotes a reproduction instruction unit for detecting that the interactive program is recorded in the storage unit 120, and issuing a reproduction instruction automatically or in accordance with an instruction by a user. Numeral 150 denotes an interactive program execution unit for receiving the reproduction instruction and receiving the interactive program from the storage unit 120, thereby to execute the interactive program on the basis of the relative time obtained from the relative time generation unit 160.

[0156] Next, the operation will be described. The interactive program receiving unit 100 corresponds to the CS antenna 1, the receiving unit 2, and the transport decoder 3 in fig.1, and it selects an interactive program from an MPEG transport stream transmitted by the broadcasting station. The broadcast time obtaining unit 110 corresponds to the CPU 8 in fig.1, and it extracts the absolute time information from the TDT of the MPEG transport stream transmitted by the broadcasting station and manages the information.

[0157] The time information management unit 112 corresponds to the CPU 8 in fig. 1, and it records the absolute time information obtained by the broadcast time obtaining unit 110, which absolute time information is recorded from the TDT, in the first descriptor in the SIT.

[0158] The recording program information creation unit 113 corresponds to the CPU 8 in fig.1, and it creates the SIT as program information for the recording of the interactive program.

[0159] The storage unit 120 corresponds to the DVHS recording/reproduction apparatus 12 in fig.1, and it records the MPEG transport stream transmitted by the broadcasting station, together with the absolute time information obtained by the broadcast time obtaining unit 110, on a VHS video cassette as it is in the digital format. At that time, the time information to be recorded is input to the first descriptor in the SIT. Accordingly, even when a program requiring time information, like the programming of the interactive program is included in the MPEG transport stream, this can be recorded without a hitch.

[0160] The reproduction instruction unit 140 corresponds to a so-called remote control apparatus or the CPU 8 in fig.1, and it detects that the interactive program is recorded in the storage unit 120 and issues the reproduction instruction automatically or in accordance with an instruction by a user.

[0161] The reproduction time obtaining unit 130 corresponds to the CPU 8 in fig. 1, and it obtains the absolute time information reproduced from the storage unit 120 at the reproduction time.

[0162] The relative time generation unit 160 corresponds to the CPU 8 in fig.1, and it obtains the relative time information on the basis of the absolute time infor-

mation obtained by the reproduction time obtaining unit 130.

[0163] The interactive program reproduction unit 150 corresponds to the CPU 8 in fig.1, and, in accordance with an instruction of the reproduction instruction unit 140, it interprets the programming of the interactive program included in the MPEG transport stream reproduced from the storage unit 120, on the basis of the relative time information generated by the relative time generation unit 160, by an interpreter realized by programming of the CPU 8. Thereby, it can reproduce the so-called interactive program of displaying an image including a question which is previously prepared by the broadcasting station, making a viewer respond to the question by a remote control operation or the like, and transmitting the response to the broadcasting station.

[0164] In this apparatus shown in fig.4, the absolute time information included in the MPEG transport stream is written on the tape, whereby the interactive program can be reproduced. However, the reproduction cannot be executed by utilizing the time information.

[0165] In this case, this programming of the interactive program is one which supports video and can realize display of simple graphics or number inputting.

[0166] In the apparatus of fig.4, the absolute time information is recorded in the first descriptor in the SIT, which first descriptor can record only the absolute time. However, it can be recorded in a second descriptor which can record both of the absolute time and the relative time from starting of the program.

[0167] Further, the SIT is recorded in another recording area on the tape of a DVHS cassette or the like. However, the SIT can be recorded in a recording apparatus such as a memory other than the tape of a DVC or the like, or in a memory of a recording/reproduction apparatus such as a DVHS deck itself. Here, the another recording area on the DVHS cassette tape, the DVC cassette memory, and the memory of the DVHS deck can record both of the absolute time and the relative time from the starting of the program.

[0168] An apparatus shown in fig.5 does not manipulate contents of a service (program) and writes these contents and absolute time information on a tape. Then, at the reproduction time, the apparatus generates relative time information from the absolute time information recorded on the tape, and reproduces the contents on the basis of the relative time information.

[0169] This apparatus corresponds to the apparatus of fig.4. However, while the apparatus of fig.4 utilizes the absolute time information transmitted by the TDT of the MPEG transport stream, the apparatus of fig.5 utilizes absolute time information transmitted in ordinary transmission formats, without limiting particularly to the TDT.

[0170] In fig.5, numeral 200 denotes an interactive program receiving unit for receiving interactive program broadcasting which includes an absolute time and includes at least one of video and audio and interactive

programming, as a part, which absolute time is indicated therein. Numeral 210 denotes a broadcast time obtaining unit for obtaining information of the absolute time when the broadcasting is to be performed, and managing the absolute time information. Numeral 212 denotes a time information management unit for performing management in the recording of the absolute time information obtained by the broadcast time obtaining unit 210. Numeral 213 denotes a recording program information creation unit for creating program information for the recording of the interactive program. Numeral 220 denotes a storage unit for storing the interactive program received by the interactive program receiving unit 200, in a recording area on a recording medium, and recording the absolute time information in another area on the recording medium or in a recording apparatus. Numeral 230 denotes a reproduction time obtaining unit for obtaining the absolute time information stored in the storage unit 220. Numeral 260 denotes a relative time generation unit for generating relative time information on the basis of the absolute time information obtained by the reproduction time obtaining unit 230. Numeral 240 denotes a reproduction instruction unit for detecting that the interactive program is recorded in the storage unit 220, and issuing a reproduction instruction automatically or in accordance with an instruction by a user. Numeral 250 denotes an interactive program execution unit for receiving the reproduction instruction and receiving the interactive program from the storage unit 220, thereby to execute the interactive program on the basis of the relative time obtained by the relative time generation unit 260.

[0171] Next, the operation will be described. The interactive program receiving unit 200 corresponds to the CS antenna 1, the receiving unit 2, and the transport decoder 3 in fig.1, and it selects an interactive program from a data stream transmitted by the broadcasting station. The broadcast time obtaining unit 210 corresponds to the CPU 8 in fig.1, and it extracts the absolute time information from the data stream transmitted by the broadcasting station, and manages the information.

[0172] The time information management unit 212 corresponds to the CPU 8 in fig. 1, and it performs management in the recording of the absolute time information obtained by the broadcast time obtaining unit 210.

[0173] The recording program information creation unit 213 corresponds to the CPU 8 in fig.1, and it creates the program information for the recording of the interactive program.

[0174] The storage unit 220 corresponds to the DVHS recording/reproduction apparatus 12 in fig.1, and it records the data stream transmitted by the broadcasting station, together with the absolute time information obtained by the broadcast time obtaining unit 210, on a VHS video cassette, as it is in the digital format. At that time, the time information to be recorded is input to a first area in a recording format of the VHS video cassette. Accordingly, even when a program requiring the

time information, like the programing of the interactive program is included in the data stream from the broadcasting station, this can be recorded without a hitch.

[0175] The reproduction instruction unit 240 corresponds to a so-called remote control apparatus or the CPU 8 in fig.1, and it detects that the interactive program is recorded in the storage unit 220 and issues the reproduction instruction automatically or in accordance with an instruction by a user.

[0176] The reproduction time obtaining unit 230 corresponds to the CPU 8 in fig. 1, and it obtains the absolute time information reproduced from the storage unit 220 at the reproduction time.

[0177] The relative time generation unit 260 corresponds to the CPU 8 in fig.1, and it generates relative time information on the basis of the absolute time information obtained by the reproduction time obtaining unit 230.

[0178] The interactive program reproduction unit 250 corresponds to the CPU 8 in fig.1, and it interprets the programming of the interactive program included in the data stream reproduced from the storage unit 220, in accordance with an instruction of the reproduction instruction unit 240, on the basis of the relative time information generated by the relative time generation unit 260, by using an interpreter realized by programming of the CPU 8. Thereby, it can reproduce the so-called interactive program of displaying an image including a question which is previously prepared by the broadcasting station, making a viewer respond to the question by a remote control operation or the like, and transmitting the response to the broadcasting station.

[0179] In this apparatus shown in fig.5, the absolute time information included in the data stream is written on a tape, whereby the interactive program can be reproduced. Further, the relative time information is generated at the reproduction time, whereby the reproduction can be executed at an arbitrary time.

[0180] In addition, information is recorded in another recording area on the tape of a DVHS cassette or the like. However, the information can be recorded in a recording apparatus such as a memory other than the tape of a DVC or the like, or in a memory of a recording/reproduction apparatus such as a DVHS deck itself. Here, the another recording area on the DVHS cassette tape, the DVC cassette memory, and the memory of the DVHS deck can record both of the absolute time and the relative time from starting of the program.

[0181] An apparatus shown in fig.6 changes absolute time information of contents of a service (program) into a relative time from starting of the program, and writes the contents after changing the time information and an elapsed time of the program on a tape. Then, at the reproduction time, the apparatus reproduces the contents on the basis of the relative time information recorded on the tape.

[0182] In fig.6, numeral 100 denotes an interactive program receiving unit for receiving interactive program

broadcasting which includes an absolute time when the broadcasting is to be executed in a TDT and includes video and audio and interactive programming, as a part, which are designated by the absolute time. Numeral 105 denotes a time information changing unit for changing the absolute time information of the interactive program received by the interactive program receiving unit 100, into a relative time from a start time of the program. Numeral 110 denotes a broadcast time obtaining unit for obtaining information of a time when the broadcasting is to be performed, and managing the time information. Numeral 115 denotes a relative time generation unit for generating a relative time from starting of the interactive program, on the basis of the start time of the interactive program and the absolute time information obtained by the broadcast time obtaining unit 110. Numeral 112 denotes a time information management unit for recording the relative time information which is recorded from the absolute time information obtained by the broadcast time obtaining unit 110, in a second descriptor of a SIT. Numeral 113 denotes a recording program information creation unit for creating a SIT as program information for the recording of the interactive program, and recording the relative time information which is obtained by writing the time information by the time information writing unit 105, in the SIT. Numeral 120 denotes a storage unit for storing the interactive program in an area on a recording medium, and storing the relative time in the SIT created by the recording program information creation unit 113. Numeral 130 denotes a reproduction time obtaining unit for reproducing the relative time information which is reproduced from the SIT on the recording medium of the storage unit 120, and obtaining the information. Numeral 140 denotes a reproduction instruction unit for detecting that the interactive program is recorded in the storage unit 120, and issuing a reproduction instruction automatically or in accordance with an instruction by a user. Numeral 150 denotes an interactive program reproduction unit for receiving the reproduction instruction and receiving the interactive program from the storage unit 120, thereby to execute the interactive program on the basis of the relative time obtained by the reproduction time obtaining unit 130.

[0183] Next, the operation will be described. The interactive program receiving unit 100 corresponds to the CS antenna 1, the receiving unit 2, and the transport decoder 3 in fig.1, and it selects an interactive program from the MPEG transport stream transmitted by a broadcasting station.

[0184] The time information changing unit 105 corresponds to the CPU 8 in fig.1, and it changes the absolute time information of the interactive program, which absolute time information is included in the TDT of the MPEG transport stream, into the relative time from the start time of the program.

[0185] The broadcast time obtaining unit 110 corresponds to the CPU 8 in fig.1, and it extracts the absolute

time information from the TDT of the MPEG transport stream transmitted by the broadcasting station and manages the information.

[0186] The relative time generation unit 115 corresponds to the composition unit 11 in fig.1, and it generates relative time information from starting of the interactive program, on the basis of the start time of the interactive program and the absolute time information obtained by the broadcast time obtaining unit 110.

[0187] The time information management unit 112 corresponds to the CPU 8 in fig.1, and it records the relative time information which is recorded from the absolute time information obtained by the broadcast time obtaining unit 110, in the second descriptor of the SIT.

[0188] The recording program information creation unit 113 corresponds to the CPU 8 in fig.1, and it creates the SIT as the program information for the recording of the interactive program, and records the relative time information which is changed by the time information changing unit 105 from the absolute time information, on the SIT.

[0189] The storage unit 120 corresponds to the DVHS recording/reproduction apparatus 12 in fig.1, and it records the MPEG transport stream transmitted by the broadcasting station, together with the relative time information generated by the relative time generation unit 115, on a VHS video cassette, as it is in the digital format. At that time, the relative time information is recorded in the second descriptor of the SIT. Thereby, even when a program requiring time information, like the programming of the interactive program is included in the MPEG transport stream, this can be reproduced without a hitch.

[0190] The reproduction instruction unit 140 corresponds to a so-called remote control apparatus or the CPU 8 in fig.1, and it detects that the interactive program is recorded in the storage unit 120 and issues the reproduction instruction automatically or in accordance with an instruction by the user.

[0191] The reproduction time obtaining unit 130 corresponds to the CPU 8 in fig.1, and it reproduces the relative time information which is reproduced from the storage unit 120.

[0192] The interactive program reproduction unit 150 corresponds to the CPU 8 in fig.1, and it interprets the programming of the interactive program included in the MPEG transport stream which is reproduced from the storage unit 120, in accordance with an instruction of the reproduction instruction unit 140, by an interpreter realized by programming of the CPU 8. Thereby, it can reproduce the so-called interactive program of displaying an image including a question which is previously prepared by the broadcasting station, making a viewer respond to the question by a remote control operation or the like, and transmitting the response to the broadcasting station.

[0193] In this apparatus of fig.6, the absolute time information included in the MPEG transport stream is

changed into the relative time information, as well as the relative time information as the elapsed time of the program is written on the tape. Thereby, the interactive program can be reproduced even at a time having an absolute time different from the absolute time in the recording.

[0194] In addition, in the apparatus of fig.6, the SIT is recorded in another recording area on the tape of a DVHS cassette or the like. However, the SIT can be recorded in a recording apparatus such as a memory other than the tape of a DVC or the like, or in a memory of a recording/reproduction apparatus such as a DVHS deck itself.

[0195] An apparatus shown in fig.7 changes absolute time information of contents of a service (program) into a relative time from starting of the program, and writes the contents after changing the absolute time information and an elapsed time of the program on a tape. Then, at the reproduction time, the apparatus reproduces the contents on the basis of the relative time information recorded on the tape.

[0196] This apparatus corresponds to the apparatus of fig.6. However, while the apparatus of fig.6 utilizes the absolute time information transmitted by the TDT of the MPEG transport stream, the apparatus of fig.7 utilizes absolute time information transmitted in ordinary transmission formats, without limiting particularly to the TDT.

[0197] In fig.7, numeral 200 denotes an interactive program receiving unit for receiving interactive program broadcasting which includes an absolute time when the broadcasting is to be executed and includes video and audio, and interactive programming, which are designated by the absolute time, as a part. Numeral 205 denotes a time information changing unit for changing the absolute time information of the interactive program received by the interactive program receiving unit 200, into a relative time from a start time of the program. Numeral 210 denotes a broadcast time obtaining unit for obtaining information of a time when the broadcasting is to be executed, and managing the time information. Numeral 215 denotes a relative time generation unit for generating a relative time from starting of the interactive program, on the basis of a start time of the interactive program and the absolute time information obtained by the broadcast time obtaining unit 210. Numeral 212 denotes a time information management unit for recording relative time information which is recorded from the absolute time information obtained by the broadcast time obtaining unit 210. Numeral 213 denotes a recording program information creation unit for creating program information for the recording of the interactive program, and recording the relative time information which is obtained by changing time information by the time information changing unit 205, on the program information. Numeral 220 denotes a storage unit for storing the interactive program in an area on a recording medium, and storing the relative time gener-

ated by the time generation unit 215, in another area on the recording medium or in a recording apparatus. Numeral 230 denotes a reproduction time obtaining unit for receiving the relative time information stored in the storage unit 220, and reproducing a flow of time in the recording. Numeral 240 denotes a reproduction instruction unit for detecting that the interactive program is recorded in the storage unit 220, and issuing a reproduction instruction automatically or in accordance with an instruction by a user. Numeral 250 denotes an interactive program reproduction unit for receiving the reproduction instruction and receiving the interactive program from the storage unit 220, thereby to execute the interactive program on the basis of the relative time obtained by the reproduction time obtaining unit 230.

[0198] Next, the operation will be described. The interactive program receiving unit 200 corresponds to the CS antenna 1, the receiving unit 2, and the transport decoder 3 in fig.1, and it selects an interactive program from an MPEG transport stream transmitted by the broadcasting station.

[0199] The time information changing unit 205 corresponds to the CPU 8 in fig.1, and it changes the absolute time information of the interactive program, from the data stream transmitted by the broadcasting station, into the relative time from the start time of the program.

[0200] The broadcast time obtaining unit 210 corresponds to the CPU 8 in fig.1, and it extracts the absolute time information from the data stream transmitted by the broadcasting station and manages the information.

[0201] The relative time generation unit 215 corresponds to the composition unit 11 in fig.1, and it generates information of a relative time from starting of the interactive program, on the basis of the start time of the interactive program and the absolute time information obtained by the broadcast time obtaining unit 210.

[0202] The time information management unit 212 corresponds to the CPU 8 in fig.1, and it records the relative time information to be recorded, which is generated by the relative time generation unit 215 on the basis of the absolute time information obtained by the broadcast time obtaining unit 210.

[0203] The recording program information creation unit 213 corresponds to the CPU 8 in fig.1, and it creates program information for the recording of the interactive program and records the relative time information which is changed by the time information changing unit 205, on the program information.

[0204] The storage unit 220 corresponds to the DVHS recording/reproduction apparatus 12 in fig.1, and it records the data stream transmitted by the broadcasting station, together with the relative time information generated by the relative time generation unit 215, on a VHS video cassette, as it is in the digital format. At that time, the relative time information is recorded in a second area in a recording format of the VHS video cassette. Thereby, even when a program requiring time information, like the programming of the interactive pro-

gram is included in the data stream from the broadcasting station, this can be recorded without a hitch.

[0205] The reproduction instruction unit 240 corresponds to a so-called remote control apparatus or the CPU 8 in fig.1, and it detects that the interactive program is recorded in the storage unit 220 and issues the reproduction instruction automatically or in accordance with an instruction by a user.

[0206] The reproduction time obtaining unit 230 corresponds to the CPU 8 in fig.1, and it reproduces the relative time information reproduced from the storage unit 220.

[0207] The interactive program reproduction unit 250 corresponds to the CPU 8 in fig.1, and it interprets the programming of the interactive program included in the data stream which is reproduced from the storage unit 220, in accordance with an instruction of the reproduction instruction unit 240, by an interpreter realized by programming of the CPU 8. Thereby, it can reproduce the so-called interactive program of displaying an image including a question which is previously prepared by the broadcasting station, making a viewer respond to the question by a remote control operation or the like, and transmitting the response to the broadcasting station.

[0208] In this apparatus shown in fig.7, the absolute time information included in the MPEG transport stream is changed into the relative time information, as well as the relative time information as the elapsed time of the program is written on the tape. Therefore, the interactive program can be reproduced even at a time having an absolute time different from the absolute time in the recording.

[0209] In addition, in the apparatus of fig.7, the SIT is recorded in another recording area on the tape of a DVHS cassette or the like. However, the SIT can be recorded in a recording apparatus such as a memory other than the tape of a DVC or the like, or in a memory of a recording/reproduction apparatus such as a DVHS deck itself.

[0210] An apparatus shown in fig.8 does not manipulate contents of a service (program) and writes these contents, absolute time information, and start time information of the program on a tape. Then, at the reproduction time, the apparatus obtains relative time information from the absolute time information and the program start time information, both of which is recorded on the tape, and reproduces the contents on the basis of the relative time information.

[0211] In fig.8 numeral 100 denotes an interactive program receiving unit for receiving interactive program broadcasting including video and audio and an interactive program, as a part, a time when the broadcasting is executed being indicated by a relative time from a start time of the program. Numeral 111 denotes a start time receiving unit for receiving information of a start time of the interactive program. Numeral 110 denotes a broadcast time obtaining unit for obtaining information of a time when the broadcasting is to be performed, and

managing the time information. Numeral 112 denotes a time information management unit for recording the absolute time information obtained by the broadcast time obtaining unit 110 and information of a relative time from the start time of the program which is received by the interactive program receiving unit 100, in a second descriptor of the SIT. Numeral 113 denotes a recording program information creation unit for creating a SIT as program information for the recording of the interactive program, and recording the start time information of the interactive program in the second descriptor of the SIT. Numeral 120 denotes a storage unit for storing the interactive program which is received by the interactive program receiving unit 100, in a recording area on the recording medium, and storing the program start time obtained from the second descriptor in the SIT, in another area on the recording medium or in a recording apparatus. Numeral 130 denotes a reproduction time obtaining unit for receiving the absolute time information stored in the storage unit 120, and reproducing a flow of time in the recording. Numeral 140 denotes a reproduction instruction unit for detecting that the interactive program is recorded in the storage unit 120, and issuing a reproduction instruction automatically or in accordance with an instruction by a user. Numeral 150 denotes an interactive program reproduction unit for receiving the reproduction instruction and receiving the interactive program from the storage unit 120, thereby to execute the interactive program on the basis of the absolute time obtained by the reproduction time obtaining unit 130 and the program start time obtained from the storage unit 120.

[0212] Next, the operation will be described. The interactive program receiving unit 100 corresponds to the CS antenna 1, the receiving unit 2, and the transport decoder 3 in fig.1, and it selects an interactive program from an MPEG transport stream transmitted by the broadcasting station.

[0213] The start time receiving unit 111 corresponds to the CPU 8 in fig.1, and it receives the start time of the interactive program.

[0214] The broadcast time obtaining unit 110 corresponds to the CPU 8 in fig.1, and it extracts the absolute time information from the TDT of the MPEG transport stream transmitted by the broadcasting station, and manages the information.

[0215] The time information management unit 112 corresponds to the CPU 8 in fig.1, and it records the absolute time information obtained by the broadcast time obtaining unit 110 and information of a relative time from the start time of the program obtained by the interactive program receiving unit 100, in the second descriptor of the SIT.

[0216] The recording program information creation unit 113 corresponds to the CPU 8 in fig.1, and it creates the SIT as program information for the recording of the interactive program, and records the program start time information received by the start time receiving unit

111, on the SIT.

[0217] The storage unit 120 corresponds to the DVHS recording/reproduction apparatus 12 in fig.1, and it records the MPEG transport stream transmitted by the broadcasting station, together with the program start time information received by the start time receiving unit 111 and the program absolute time information obtained by the broadcast time obtaining unit 110, on a VHS video cassette, as it is in the digital format. At that time, the time information to be recorded is input to the first descriptor of the SIT. Thereby, even when a program requiring time information, like the programming of the interactive program is included in the MPEG transport stream, this can be recorded without a hitch.

[0218] The reproduction instruction unit 140 corresponds to a so-called remote control apparatus or the CPU 8 in fig.1, and it detects that the interactive program is recorded in the storage unit 120 and issues the reproduction instruction automatically or in accordance with an instruction by a user.

[0219] The reproduction time obtaining unit 130 corresponds to the CPU 8 in fig.1, and it generates the relative time information on the basis of the absolute time information and the program start time information, both of which is reproduced from the storage unit 120, and reproduces the interactive program on the basis of the relative time information.

[0220] The interactive program reproduction unit 150 corresponds to the CPU 8 in fig.1, and it interprets the programming of the interactive program included in the MPEG transport stream which is reproduced from the storage unit 120, in accordance with an instruction of the reproduction instruction unit 140, by an interpreter realized by programming of the CPU 8. Thereby, it can reproduce the so-called interactive program of displaying an image including a question which is previously prepared by the broadcasting station, making a viewer respond to the question by a remote control operation or the like, and transmitting the response to the broadcasting station.

[0221] In this apparatus shown in fig.8, the absolute time information included in the MPEG transport stream is recorded on the tape and this is changed into the relative time information at the reproduction time. Therefore, the interactive program can be reproduced even at a time having an absolute time different from the absolute time in the recording.

[0222] In addition, in the apparatus of fig.8, the absolute time information is recorded in the first descriptor of the SIT, which can record only the absolute time. However, the absolute time information can be recorded in a second descriptor which can record both of the absolute time and the relative time from starting of the program.

[0223] Further, the SIT is recorded in another recording area on the tape of a DVHS cassette or the like. However, the SIT can be recorded in a recording apparatus such as a memory other than the tape of a

DVC or the like, or in a memory of a recording/reproduction apparatus such as a DVHS deck itself. Here, another recording area on the DVHS cassette tape, the DVC cassette memory, and the DVHS deck memory can record both of the absolute time and the relative time from starting of the program.

[0224] An apparatus shown in fig.9 does not manipulate contents of a service (program) and writes these contents, absolute time information, and start time information of the program on a tape. Then, at the reproduction time, the apparatus obtains relative time information from the absolute time information and the program start time information, both of which is recorded on the tape, and reproduces the contents on the basis of the relative time information.

[0225] This apparatus corresponds to the apparatus of fig.8. However, while the apparatus of fig.8 utilizes the absolute time information transmitted by the TDT of the MPEG transport stream, the apparatus of fig.9 utilizes relative time information transmitted in ordinary transmission formats, without limiting particularly to the MPEG transport stream.

[0226] In fig.9, numeral 200 denotes an interactive program receiving unit for receiving interactive program broadcasting including video and audio and an interactive program, as a part, a time when the broadcasting is executed being indicated by a relative time from a start time of the program. Numeral 211 denotes a start time receiving unit for receiving information of the start time of the interactive program. Numeral 210 denotes a broadcast time obtaining unit for obtaining information of a time when the broadcasting is to be executed, and managing the time information. Numeral 212 denotes a time information management unit for recording the absolute time information obtained by the broadcast time obtaining unit 210 and information of a relative time from the start time of the program which is obtained by the interactive program receiving unit 200. Numeral 213 denotes a recording program information creation unit for creating program information for the recording of the interactive program, and recording the start time information of the interactive program, on the program information. Numeral 220 denotes a storage unit for storing the interactive program received by the interactive program receiving unit 200 in a recording area on a recording medium, and storing the program start time in another area on the recording medium or in a recording apparatus. Numeral 230 denotes a reproduction time obtaining unit for receiving the absolute time information stored in the storage unit 220, and reproducing a flow of time in the recording. Numeral 240 denotes a reproduction instruction unit for detecting that the interactive program is recorded in the storage unit 220, and issuing a reproduction instruction automatically or in accordance with an instruction by a user. Numeral 250 denotes an interactive program reproduction unit for receiving the reproduction instruction and receiving the interactive program from the storage unit 220, thereby to execute

the interactive program on the basis of the absolute time obtained by the reproduction time obtaining unit 230 and the program start time obtained from the storage unit 220.

[0227] Next, the operation will be described. The interactive program receiving unit 200 corresponds to the CS antenna 1, the receiving unit 2, and the transport decoder 3 in fig.1, and it selects an interactive program from a data stream transmitted by the broadcasting station.

[0228] The start time receiving unit 211 corresponds to the CPU 8 in fig.1, and it receives the start time of the interactive program.

[0229] The broadcast time obtaining unit 210 corresponds to the CPU 8 in fig.1, and it extracts the absolute time information from the data stream transmitted by the broadcasting station and manages the information.

[0230] The time information management unit 212 corresponds to the CPU 8 in fig. 1, and it records the absolute time information obtained by the broadcast time obtaining unit 210 and information of the relative time from the start time of the program which is obtained by the interactive program receiving unit 200.

[0231] The recording program information creation unit 213 corresponds to the CPU 8 in fig.1, and it creates program information for the recording of the interactive program and records the start time of the interactive program, which is obtained by the start time receiving unit 211.

[0232] The storage unit 220 corresponds to the DVHS recording/reproduction apparatus 12 in fig.1, and it records the data stream transmitted by the broadcasting station, together with the program start time information received by the start time receiving unit 211 and the program absolute time information obtained by the broadcast time obtaining unit 210, on a VHS video cassette, as it is in the digital format. At that time, the time information to be recorded is input to a first area in a recording format of the VHS video cassette. Thereby, even when a program requiring time information, like the programming of the interactive program is included in the data stream, this can be recorded without a hitch.

[0233] The reproduction instruction unit 240 corresponds to a so-called remote control apparatus or the CPU 8 in fig.1, and it detects that the interactive program is recorded in the storage unit 220 and issues the reproduction instruction automatically or in accordance with an instruction by a user.

[0234] The reproduction time obtaining unit 230 corresponds to the CPU 8 in fig.1, and it generates the relative time information on the basis of the absolute time information and the program start time information, both of which is reproduced from the storage unit 220, and reproduces the interactive program on the basis of the relative time information.

[0235] The interactive program reproduction unit 250 corresponds to the CPU 8 in fig.1, and it interprets the programming of the interactive program included in

the data stream which is reproduced from the storage unit 220, in accordance with an instruction of the reproduction instruction unit 240, by an interpreter realized by programming of the CPU 8. Thereby, it can reproduce the so-called interactive program of displaying an image including a question which is previously prepared by the broadcasting station, making a viewer respond to the question by a remote control operation or the like, and transmitting the response to the broadcasting station.

[0236] In this apparatus shown in fig.9, the absolute time information included in the data stream from the broadcasting station is recorded on the tape and this is changed into the relative time information at the reproduction time. Therefore, the interactive program can be reproduced even at a time having an absolute time different from the absolute time in the recording.

[0237] In addition, in the apparatus of fig.9, the absolute time information is recorded in the first area of the VHS video cassette, which can record only the absolute time. However, the absolute time information can be recorded in a second area which can record both of the absolute time and the relative time from starting of the program.

[0238] Further, information is recorded in another recording area on the tape of a DVHS cassette or the like. However, the information can be recorded in a recording apparatus such as a memory other than the tape of a DVC or the like, or in a memory of a recording/reproduction apparatus such as a DVHS deck itself. Here, another recording area on the DVHS cassette tape, the DVC cassette memory, and the DVHS deck memory can record both of the absolute time and the relative time from starting of the program.

[0239] An apparatus shown in fig.10 does not manipulate contents of a service (program) and writes these contents and start time information of the program, on a tape. Then, at the reproduction time, the apparatus obtains relative time information recorded on the tape, and reproduces the contents on the basis of the relative time information.

[0240] In fig.10, numeral 100 denotes an interactive program receiving unit for receiving interactive program broadcasting including video and audio, and an interactive program, as a part, a relative time when the broadcasting is executed being designated. Numeral 110 denotes a broadcast time obtaining unit for obtaining information of an absolute time when the broadcasting is to be performed, and managing the absolute time information. Numeral 111 denotes a start time receiving unit for receiving information of a start time of the interactive program. Numeral 115 denotes a relative time generation unit for generating a relative time from starting of the interactive program, on the basis of the start time of the interactive program and the absolute time information obtained by the broadcast time obtaining unit 110. Numeral 112 denotes a time information management unit for recording the relative time information generated by the relative time generation unit 115, in a

second descriptor of a SIT. Numeral 113 denotes a recording program information creation unit for creating a SIT as program information for the recording of the interactive program. Numeral 120 denotes a storage unit for storing the interactive program which is changed by the time information changing unit 105, in an area on a recording medium, as well as storing the relative time obtained from the second descriptor of the SIT, in another area on the recording medium or in a recording apparatus. Numeral 130 denotes a reproduction time obtaining unit for receiving the relative time information stored in the storage unit 120, and reproducing a flow of time in the recording. Numeral 140 denotes a reproduction instruction unit for detecting that the interactive program is recorded in the storage unit 120, and issuing a reproduction instruction automatically or in accordance with an instruction by a user. Numeral 150 denotes an interactive program reproduction unit for receiving the reproduction instruction and receiving the interactive program from the storage unit 120, thereby to execute the interactive program on the basis of the relative time obtained by the reproduction time obtaining unit 130.

[0241] Next, the operation will be described. The interactive program receiving unit 100 corresponds to the CS antenna 1, the receiving unit 2, and the transport decoder 3 in fig.1, and it selects an interactive program from an MPEG transport stream transmitted by the broadcasting station.

[0242] The broadcast time obtaining unit 110 corresponds to the CPU 8 in fig.1, and it extracts time information from the TDT of the MPEG transport stream transmitted by the broadcasting station, and manages the time information.

[0243] The start time receiving unit 111 corresponds to the CPU 8 in fig.1, and it receives the start time of the interactive program.

[0244] The relative time generation unit 115 corresponds to the composition unit 11 in fig.1, and it generates a relative time from starting of the interactive program, on the basis of the start time of the interactive program, obtained by the start time receiving unit 111 and the absolute time information obtained by the broadcast time obtaining unit 110.

[0245] The time information management unit 112 corresponds to the CPU in fig.8, and it records the relative time information generated by the relative time generation unit 115, in the second descriptor of the SIT.

[0246] The recording program information creation unit 113 corresponds to the CPU 8 in fig.1, and it creates the SIT as program information for the recording of the interactive program.

[0247] The storage unit 120 corresponds to the DVHS recording/reproduction apparatus 12 in fig.1, and it records the MPEG transport stream transmitted by the broadcasting station, together with the relative time information generated by the relative time generation unit 115, on a VHS video cassette, as it is in the digital format. At that time, the relative time information is input

to the SIT. Thereby, even when a program requiring time information, like the programming of the interactive program is included in the MPEG transport stream, this can be recorded without a hitch.

[0248] The reproduction instruction unit 140 corresponds to a so-called remote control apparatus or the CPU 8 in fig.1, and it detects that the interactive program is recorded in the storage unit 120 and issues the reproduction instruction automatically or in accordance with an instruction by a user.

[0249] The reproduction time obtaining unit 130 corresponds to the CPU 8 in fig.1, and it reproduces the relative time information reproduced from the storage unit 120.

[0250] The interactive program reproduction unit 150 corresponds to the CPU 8 in fig.1, and it interprets the programming of the interactive program included in the MPEG transport stream which is reproduced from the storage unit 120, in accordance with an instruction of the reproduction instruction unit 140, by an interpreter realized by programming of the CPU 8. Thereby, it can reproduce the so-called interactive program of moving a simple moving image with a still picture for the background or displaying an image including a question which is previously prepared by the broadcasting station, making a viewer respond to the question by a remote control operation or the like, and transmitting the response to the broadcasting station.

[0251] In this apparatus shown in fig.10, the relative time information as the elapsed time of the program is recorded on the tape together with the MPEG transport stream, and the program is reproduced at the reproduction time on the basis of the relative time information. Therefore, the interactive program can be reproduced even at a time having an absolute time different from the absolute time in the recording.

[0252] In addition, in the apparatus of fig.10, the SIT is recorded in another area on the tape of a DVHS cassette or the like. However, the SIT can be recorded in a recording apparatus such as a memory other than the tape of a DVC or the like, or in a memory of a recording/reproduction apparatus such as a DVHS deck itself.

[0253] An apparatus shown in fig.11 does not manipulate contents of a service (program) and writes these contents and start time information of the program on a tape. Then, at the reproduction time, the apparatus obtains relative time information recorded on the tape and reproduces the contents on the basis of the relative time information.

[0254] This apparatus corresponds to the apparatus of fig.10. However, while the apparatus of fig.10 utilizes the absolute time information transmitted by the MPEG transport stream, the apparatus of fig.11 utilizes relative time information transmitted in ordinary transmission formats, without limiting particularly to the MPEG transport stream.

[0255] In fig.11, numeral 200 denotes an interactive program receiving unit for receiving interactive program

broadcasting including video and audio, and an interactive program, as a part, a relative time when the broadcasting is executed being designated. Numeral 210 denotes a broadcast time obtaining unit for obtaining information of an absolute time when the broadcasting is to be performed, and managing the absolute time information. Numeral 211 denotes a start time receiving unit for receiving information of a start time of the interactive program. Numeral 215 denotes a relative time generation unit for generating a relative time from starting of the interactive program, on the basis of the start time of the interactive program and the absolute time information obtained by the broadcast time obtaining unit 210. Numeral 212 denotes a time information management unit for performing management in the recording of the relative time information generated by the relative time generation unit 215. Numeral 213 denotes a recording program information creation unit for creating program information for the recording of the interactive program. Numeral 220 denotes a storage unit for storing the interactive program changed by the time information changing unit 205, in an area on a recording medium, as well as storing the relative time in another area on the recording medium or in a recording apparatus. Numeral 230 denotes a reproduction time obtaining unit for receiving the relative time information stored in the storage unit 220, and reproducing a flow of time in the recording. Numeral 240 denotes a reproduction instruction unit for detecting that the interactive program is recorded in the storage unit 220, and issuing a reproduction instruction automatically or in accordance with an instruction by a user. Numeral 250 denotes an interactive program reproduction unit for receiving the reproduction instruction and receiving the interactive program from the storage unit 220, thereby to execute the interactive program on the basis of the relative time obtained by the reproduction time obtaining unit 230.

[0256] Next, the operation will be described. The interactive program receiving unit 200 corresponds to the CS antenna 1, the receiving unit 2, and the transport decoder 3 in fig.1, and it selects an interactive program from a data stream transmitted by the broadcasting station.

[0257] The broadcast time obtaining unit 210 corresponds to the CPU 8 in fig.1, and it extracts time information from the data stream transmitted by the broadcasting station, and manages the time information.

[0258] The start time receiving unit 211 corresponds to the CPU 8 in fig.1, and it receives the start time of the interactive program.

[0259] The relative time generation unit 215 corresponds to the composition unit 11 in fig.1, and it generates a relative time from starting of the interactive program, on the basis of the start time of the interactive program, obtained by the start time receiving unit 211 and the absolute time information obtained by the broadcast time obtaining unit 210.

[0260] The time information management unit 212 corresponds to the CPU 8 in fig.1, and it performs management in the recording of the relative time information generated by the relative time generation unit 215.

[0261] The recording program information creation unit 213 corresponds to the CPU 8 in fig.1, and it creates program information for the recording of the interactive program.

[0262] The storage unit 220 corresponds to the DVHS recording/reproduction apparatus 12 in fig.1, and it records the data stream transmitted by the broadcasting station, together with the relative time information generated by the relative time generation unit 215, on a VHS video cassette as it is in the digital format. At that time, the relative time information is input to a predetermined storage area in a format of the VHS video cassette. Thereby, even when a program requiring time information, like the programming of the interactive program is included in the data stream, this can be recorded without a hitch.

[0263] The reproduction instruction unit 240 corresponds to a so-called remote control apparatus or the CPU 8 in fig.1, and it detects that the interactive program is recorded in the storage unit 220 and issues the reproduction instruction automatically or in accordance with an instruction by a user.

[0264] The reproduction time obtaining unit 230 corresponds to the CPU 8 in fig.1, and it reproduces the relative time information reproduced from the storage unit 220.

[0265] The interactive program reproduction unit 250 corresponds to the CPU 8 in fig.1, and it interprets the programming of the interactive program included in the data stream which is reproduced from the storage unit 220, in accordance with an instruction of the reproduction instruction unit 240, by an interpreter realized by programming of the CPU 8. Thereby, it can reproduce the so-called interactive program of moving a simple moving picture with a still picture for the background or displaying an image including a question which is previously prepared by the broadcasting station, making a viewer respond to the question by a remote control operation or the like, and transmitting the response to the broadcasting station.

[0266] In this apparatus shown in fig.11, the relative time information as the elapsed time of the program is recorded on the tape together with the data stream, and the program is reproduced at the reproduction time on the basis of the relative time information. Therefore, the interactive program can be reproduced even at a time having an absolute time different from the absolute time in the recording.

[0267] In addition, in the apparatus of fig.11, the SIT is recorded in another recording area on the tape of a DVHS cassette or the like. However, the SIT can be recorded in a recording apparatus such as a memory other than the tape of a DVC or the like, or in a memory of a recording/reproduction apparatus such as a DVHS

deck itself.

[0268] Here, in the apparatuses of figs.2 to 11, the time information transmitted together with the transport stream or data stream including the interactive program can be relative time information. According to this format, the interactive program can be reproduced without the time information being manipulated.

Embodiment 2.

[0269] While the first embodiment relates to a case where the normal reproduction is performed in the DVHS, this second embodiment relates to an apparatus which takes measures against a problem that a screen temporarily goes black during reproduction of an interactive program.

[0270] The DVHS also has the trick playback function in addition to the normal playback function, like normal VHS recording/reproduction apparatuses. The trick playback function includes a so-called queue/review (fast forward playback/fast rewind playback) and still playback. In addition to this, there is fast forward/fast rewind of running a tape at a high speed without reproducing images. Among these, in a case where a tape having a program recorded thereon is fast-forwarded and then the fast forward is canceled near a target scene, to perform the normal reproduction, a screen temporarily goes black when an interactive program is recorded on the tape, unlike the usual MPEG program.

[0271] This corresponds to a case where when an interactive program such as television shopping is reproduced, the tape is fast-forwarded to skip scenes until the introduction of a target item is started, and then the reproduction is switched into the normal reproduction, thereby to reduce a viewing time. In this case, since the interactive program is executed by programming, a screen after resuming the normal reproduction may not appear immediately.

[0272] These situations will be described with reference to fig.21. As shown in fig.21(a), when programs are recorded, information of programs of a channel A is successively recorded with the lapse of time. In this case, as shown in fig.21(b), a program 1 of the channel A is replaced halfway with a program 2, and as shown in fig.21(c), the programs are recorded on the tape in this order.

[0273] When the tape on which the programs are continuously recorded is reproduced, there is no problem even if part of the tape is fast-forwarded and skipped as shown in fig.21(d).

[0274] However, in a case where recording of a program is interrupted halfway and recording is resumed from the beginning of the next program as shown in figs.21(e) and 21(f), a DIT is added at a part corresponding to the head of the next program and this DIT is found as shown in fig.21(g), when the recorded tape is successively reproduced normally. Therefore, it is easily known that there was an interruption during the record-

ing.

[0275] However, when the fast forward is performed in a section including the DIT which is added at the part corresponding to the head of the next program as shown in fig.21(h), the reproduction of the information recorded on the tape is not performed in this section, whereby the DIT cannot be detected.

[0276] Accordingly, unlike the usual MPEG program, a scene is erased in the interactive program.

[0277] In the interactive program, an interpreter interprets programming transmitted by the broadcasting station and processes data transmitted together with the programming, thereby to display or erase an image on a screen. However, in the above-described case, at a timing when the fast forward of the tape is finished, the part where the DIT is added is already passed through, whereby the DIT cannot be detected.

[0278] When the DIT cannot be detected, the interruption in the recording of the program is not found. Therefore, while an interactive program which is completely different from the initial interactive program should be reproduced, the initial program is reproduced as it is. To avoid such a situation, the display of the interactive program should be temporarily turned off.

[0279] Fig.22 illustrates programming data of an interactive program comprising programmings P for executing a screen display operation, and data D1, D2, D3, ... which is displayed on the screen by the programming P. An interpreter realized by the CPU of the DVHS recording/reproduction apparatus interprets the programmings P and the data D1, D2, D3,..., to display the interactive program on the screen. Generally, one program includes a plurality of programmings P and data D1, D2, D3,..., which have different contents. Therefore, when a different interactive program is to be reproduced, the same programming cannot always be utilized. Accordingly in that case, the programming is reloaded to the interpreter again as a precaution, thereby to display a different screen. During this time, the screen temporarily goes black.

[0280] In this second embodiment, as shown in fig.23, time information TI is described in a descriptor in a SIT and program information of a service 1, ..., and program information of a service n, as well as a version number VN of the programming is described in the program information of the service 1, ..., the program information of the service n.

[0281] This version number VN does not indicate the number of times of revision in software itself, unlike the so-called version number of software. It simply indicates a running state of a tape, which number is updated by adding one (+1) or the like at the start, stop, interruption or the like of the reproduction. Since this version number VN is described in the SIT, this can be surely detected even in the case of the fast forward.

[0282] Then, when the version number is not changed as a result of the fast forward, a programming corresponding to this version number is utilized. In this

case, when data after the fast forward is performed to skip data is used, the screen reproduction can be performed without the programming being loaded again. Therefore, even when the fast-forward is performed, the interactive program can be reproduced as shown in fig.24, without the screen temporarily going black.

[0283] Fig.20 is a diagram illustrating a structure of means for updating the time information and the version number of the second embodiment. In the figure, numeral 116 denotes a tape running state change detection unit for detecting a change in a running state of a tape.

[0284] Numeral 118 denotes time information and version number updating means. This means updates the time information TI when the tape running state change detection unit 116 detects the change in the running state of the tape, as well as updates the version number at each change in the running state of the tape.

[0285] Numeral 117 denotes a recording program information creation unit, and it creates a SIT similarly to numeral 113 in figs.2, 4, 6, 8, and 10.

[0286] Next, an operation will be described. The tape running state change detection unit 116 detects a change in the running state of the tape, such as start, stop, or interruption of reproduction. It can detect a change in a decoded signal is obtained by decoding a signal received by a remote control receiver (not shown), or it can detect a change in an actual running state of a tape.

[0287] When the change in the running state of the tape is detected as described above, the time information and version number updating means 118 updates the time information TI in the descriptor in the SIT, as well as updates the version number in the program information of the service n at each change in the running state of the tape, by adding 1 or the like.

[0288] Here, the recording program information creation unit 117 creates the SIT, and the time information and version number updating means 118 updates the time information TI in the descriptor in the SIT which is previously created by this recording program information creation unit 117, and the version number in the program information in the service n, at each change in the running state of the tape.

[0289] Accordingly, even when a reproduction signal from the tape cannot be received due to the fast forward and the DIT cannot be referred to, the version number in the program information in the SIT is referred to and when the version number is not updated, it immediately becomes clear that the state change such as the interruption or stop of the tape did not occur. Therefore, there is no necessity of reloading the same programming again, whereby the screen is prevented from going black due to reloading of the programming.

[0290] Here, the time information TI is described not only in the descriptor but also in the program information. Therefore, by utilizing this, when the time information TI after the fast forward and the time information

TI before the fast forward is close, the same programming can be utilized. Therefore, also in this case, even when the fast forward is performed, the interactive program can be reproduced without the screen temporarily going black.

[0291] In this second embodiment, the DVHS recording/reproduction apparatus is utilized as means for recording/reproducing the MPEG transport stream as it is in the digital format. However, another digital information recording/reproducing means such as a DVD or DVC can be utilized. In this case, the same effects as those in the second embodiment can be obtained.

[0292] Further, in this embodiment, the version number is recorded/reproduced on/from the tape together with the MPEG transport stream. However in a DVC cassette or the like, it can be stored in an IC memory which is contained in a cassette separately from a tape.

Industrial Availability

[0293] As described above, according to the receiving apparatus, the recording apparatus, and the reproduction apparatus according to the present invention, time information included in a data stream can be recorded on a tape and reproduced. Therefore, it is extremely useful as an apparatus for recording and reproducing an interactive program and particularly suitable for realizing the recording and reproduction of the interactive program for the DVHS or the like.

Claims

1. A receiving apparatus comprising:
 - an interactive program receiving unit for receiving interactive program broadcasting which includes an absolute time when the broadcasting is executed, in a TDT (Time and Data Table) and includes at least one of video and audio and interactive programming, which are indicated, as a part; and
 - a broadcast time obtaining unit for obtaining information of the absolute time when the broadcasting is performed, and managing the absolute time information.
2. A recording apparatus for recording the interactive program received by the receiving apparatus of Claim 1, comprising:
 - a recording program information creation unit for creating an SIT as program information for the recording of the interactive program;
 - a time information management unit for recording the absolute time information obtained by the broadcast time obtaining unit, which infor-

mation is recorded from the TDT, in either of a first descriptor or a second descriptor of the SIT (Selection Information Table); and
 a storage unit for storing the interactive program received by the interactive program receiving unit, in a recording area on a recording medium, and storing the absolute time information obtained from the first descriptor or the second descriptor of the SIT, in another area on the recording medium or in a recording apparatus.

3. A reproduction apparatus for reproducing the interactive program recorded in the recording apparatus of Claim 2, comprising:

- a reproduction time obtaining unit for receiving the absolute time information stored in the storage unit, and reproducing a flow of time at the recording time;
- a reproduction instruction unit for detecting that the interactive program is recorded in the storage unit, and issuing a reproduction instruction automatically or in accordance with an instruction by a user; and
- an interactive program execution unit for receiving the reproduction instruction and receiving the interactive program from the storage unit, thereby to execute the interactive program on the basis of the absolute time information obtained by the reproduction time obtaining unit, and
- the reproduction apparatus making the interactive program execution unit reproduce the interactive program from the recording apparatus.

4. A reproduction apparatus for reproducing the interactive program recorded in the recording apparatus of Claim 2, comprising:

- an reproduction time obtaining unit for obtaining the absolute time information stored in the storage unit;
- a relative time generation unit for generating relative time information on the basis of the absolute time information obtained by the reproduction time obtaining unit;
- an reproduction instruction unit for detecting that the interactive program is recorded in the storage unit, and issuing a reproduction instruction automatically or in accordance with an instruction by a user; and
- an interactive program execution unit for receiving the reproduction instruction and receiving the interactive program from the storage unit, thereby to execute the interactive program on the basis of the relative time information obtained by the relative time gener-

ation unit, and
the reproduction apparatus making the interactive program execution unit reproduce the interactive program from the recording apparatus.

5. A receiving apparatus comprising:

an interactive program receiving unit for receiving interactive program broadcasting which includes an absolute time when the broadcasting is executed and includes at least one of video and audio and interactive programming, which are indicated, as a part; and
a broadcast time obtaining unit for obtaining information of the absolute time when the broadcasting is performed, and managing the absolute time information.

6. A recording apparatus for recording the interactive program received by the receiving apparatus of Claim 5, comprising:

a recording program information creation unit for creating program information in the recording of the interactive program;
a time information management unit for performing management when the absolute time information obtained by the broadcast time obtaining unit is recorded on a recording medium; and
a storage unit for storing the interactive program received by the interactive program receiving unit, in a recording area on the recording medium, and storing the absolute time information in another area on the recording medium or in a recording apparatus.

7. A reproduction apparatus for reproducing the interactive program recorded in the recording apparatus of Claim 6, comprising:

a reproduction time obtaining unit for receiving the absolute time information stored in the storage unit, and reproducing a flow of time at the recording time;
a reproduction instruction unit for detecting that the interactive program is recorded in the storage unit, and issuing a reproduction instruction automatically or in accordance with an instruction by a user; and
an interactive program execution unit for receiving the reproduction instruction and receiving the interactive program from the storage unit, thereby to execute the interactive program on the basis of the absolute time information obtained by the reproduction time obtaining unit, and
the reproduction apparatus making the interac-

tive program execution unit reproduce the interactive program from the recording apparatus.

8. A reproduction apparatus for reproducing the interactive program recorded in the recording apparatus of claim 6, comprising:

an reproduction time obtaining unit for obtaining the absolute time information stored in the storage unit;
a relative time generation unit for generating relative time information on the basis of the absolute time information obtained by the reproduction time obtaining unit;
an reproduction instruction unit for detecting that the interactive program is recorded in the storage unit, and issuing a reproduction instruction automatically or in accordance with an instruction by a user; and
an interactive program execution unit for receiving the reproduction instruction and receiving the interactive program from the storage unit, thereby to execute the interactive program on the basis of the relative time information obtained by the relative time generation unit, and
the reproduction apparatus making the interactive program execution unit reproduce the interactive program from the recording apparatus.

9. A receiving apparatus comprising:

an interactive program receiving unit for receiving interactive program broadcasting which includes an absolute time when the broadcasting is executed, in a TDT and includes video and audio and interactive programming, which are designated, as a part;
a time information changing unit for changing information of an absolute time of the interactive program received by the interactive program receiving unit, into information of a relative time from a program start time;
a broadcast time obtaining unit for obtaining the information of the absolute time when the broadcasting is performed, and managing the absolute time information; and
a relative time generation unit for generating information of a relative time from starting of the interactive program on the basis of the start time of the interactive program and the absolute time information obtained by the broadcast time obtaining unit.

10. A recording apparatus for recording the interactive program received by the receiving apparatus of Claim 9, comprising:

a recording program information creation unit for creating an SIT as program information for the recording of the interactive program;

a time information management unit for recording the relative time information which is recorded from the absolute time information obtained by the broadcast time obtaining unit, in a second descriptor of the SIT; and
a storage unit for storing the interactive program whose time information is changed by the time information changing unit, in an area on a recording medium, and storing the relative time information obtained from the second descriptor of the SIT, in another area on the recording medium or in a recording apparatus.

11. The recording apparatus of Claim 10 wherein

the time information management unit records the absolute time information in a first descriptor or the second descriptor of the SIT, in addition to the relative time information.

12. A reproduction apparatus for reproducing the interactive program recorded in the recording apparatus of Claim 10 or 11, comprising:

a reproduction time obtaining unit for receiving the relative time information stored in the storage unit, and reproducing a flow of time at the recording time;
a reproduction instruction unit for detecting that the interactive program is recorded in the storage unit, and issuing a reproduction instruction automatically or in accordance with an instruction by a user; and
an interactive program execution unit for receiving the reproduction instruction and receiving the interactive program from the storage unit, thereby to execute the interactive program on the basis of the relative time information obtained by the reproduction time obtaining unit, and
the reproduction apparatus making the interactive program execution unit reproduce the interactive program from the recording apparatus.

13. A receiving apparatus comprising:

an interactive program receiving unit for receiving interactive program broadcasting which includes an absolute time when the broadcasting is executed and includes video and audio and interactive programming, which are designated, as a part;
a time information changing unit for changing information of the absolute time of the interactive program received by the interactive pro-

gram receiving unit, into information of a relative time from a program start time;

a broadcast time obtaining unit for obtaining information of the absolute time when the broadcasting is performed, and managing the absolute time information; and

a relative time generation unit for generating information of a relative time from starting of the interactive program on the basis of the start time of the interactive program and the absolute time information obtained by the broadcast time obtaining unit.

14. A recording apparatus for recording the interactive program received by the receiving apparatus of Claim 13, comprising:

a recording program information creation unit for creating program information for the recording of the interactive program;
a time information management unit for performing management when the relative time information which is recorded from the absolute time information obtained by the broadcast time obtaining unit is recorded on a recording medium; and
a storage unit for storing the interactive program whose time information is changed by the time information changing unit, in an area on the recording medium, and storing the relative time information in another area on the recording medium or in a recording apparatus.

15. The recording apparatus of Claim 14 wherein

the time information management unit records the absolute time information in addition to the relative time information.

16. A reproduction apparatus for reproducing the interactive program recorded in the recording apparatus of Claim 14 or 15, comprising:

a reproduction time obtaining unit for receiving the relative time information stored in the storage unit, and reproducing a flow of time at the recording time;
a reproduction instruction unit for detecting that the interactive program is recorded in the storage unit, and issuing a reproduction instruction automatically or in accordance with an instruction by a user; and
an interactive program execution unit for receiving the reproduction instruction and receiving the interactive program from the storage unit, thereby to execute the interactive program on the basis of the relative time information obtained by the reproduction time

obtaining unit, and
the reproduction apparatus making the interactive program execution unit reproduce the interactive program from the recording apparatus.

17. A receiving unit comprising:

an interactive program receiving unit for receiving interactive program broadcasting wherein a time when the broadcasting is executed is indicated by a relative time from a start time of a program, which broadcasting includes video and audio and interactive programming, as a part and includes an absolute time in a TDT; a start time receiving unit for receiving start time information of the interactive program; and a broadcast time obtaining unit for obtaining information of the absolute time when the broadcasting is performed, and managing the absolute time information.

18. A recording apparatus for recording the interactive program received by the receiving apparatus of Claim 17, comprising:

a recording program information creation unit for creating an SIT as program information for the recording of the interactive program; a time information management unit for recording the absolute time information obtained by the broadcast time obtaining unit and relative time information from the start time of the program obtained by the interactive program receiving unit, in a second descriptor of the SIT; and a storage unit for storing the interactive program received by the interactive program receiving unit, in a recording area on a recording medium, and storing the absolute time information and the relative time information, which is obtained from the second descriptor of the SIT, in another area on the recording medium or in a recording apparatus.

19. The recording apparatus of Claim 18 wherein

the time information management unit records the absolute time information in a first descriptor of the SIT.

20. A reproduction apparatus for reproducing the interactive program recorded in the recording apparatus of claim 18 or 19, comprising:

a reproduction time obtaining unit for receiving the absolute time information stored in the storage unit, and reproducing a flow of time at the recording time;

a reproduction instruction unit for detecting that the interactive program is recorded in the storage unit, and issuing a reproduction instruction automatically or in accordance with an instruction by a user; and

an interactive program execution unit for receiving the reproduction instruction and receiving the interactive program from the storage unit, to generate relative time information on the basis of the absolute time information obtained by the reproduction time obtaining unit and the program start time information obtained from the storage unit, thereby to execute the interactive program, and the reproduction apparatus making the interactive program execution unit reproduce the interactive program from the recording apparatus.

21. A receiving apparatus comprising:

an interactive program receiving unit for receiving interactive program broadcasting wherein a time when the broadcasting is executed is indicated by a relative time from a start time of a program, which broadcasting includes video and audio and interactive programming, as a part, and includes an absolute time; a start time receiving unit for receiving start time information of the interactive program; and a broadcast time obtaining unit for obtaining information of the absolute time when the broadcasting is performed, and managing the absolute time information.

22. A recording apparatus for recording the interactive program received by the receiving apparatus of Claim 21, comprising:

a recording program information creation unit for creating program information for the recording of the interactive program; a time information management unit for recording the absolute time information obtained by the broadcast time obtaining unit and information of a relative time from the start time of the program obtained by the interactive program receiving unit; and a storage unit for storing the interactive program received by the interactive program receiving unit, in a recording area on a recording medium, and storing the absolute time information and the relative time information, in another area on the recording medium or in a recording apparatus.

23. A reproduction apparatus for reproducing the interactive program recorded in the recording apparatus of Claim 22, comprising:

a reproduction time obtaining unit for receiving the absolute time information stored in the storage unit, and reproducing a flow of time at the recording time;

a reproduction instruction unit for detecting that the interactive program is recorded in the storage unit, and issuing a reproduction instruction automatically or in accordance with an instruction by a user; and

an interactive program execution unit for receiving the reproduction instruction and receiving the interactive program from the storage unit, to generate relative time information on the basis of the absolute time information obtained by the reproduction time obtaining unit and the program start time information obtained from the storage unit, thereby to execute the interactive program, and the reproduction apparatus making the interactive program execution unit reproduce the interactive program from the recording apparatus.

24. A receiving apparatus comprising:

an interactive program receiving unit for receiving interactive program broadcasting wherein a time when the broadcasting is executed is indicated by a relative time from a start time of a program, which broadcasting includes video and audio and interactive programming, as a part and includes an absolute time in a TDT; a start time receiving unit for receiving start time information of the interactive program; a broadcast time obtaining unit for obtaining information of the absolute time when the broadcasting is performed, and managing the absolute time information; and a relative time generation unit for generating information of a relative time from starting of the interactive program, on the basis of the start time information of the interactive program, which is obtained by the start time receiving unit and the absolute time information obtained by the broadcast time obtaining unit.

25. A recording apparatus for recording the interactive program received by the receiving apparatus of Claim 24, comprising:

a recording program information creation unit for creating a SIT as program information for the recording of the interactive program; a time information management unit for recording relative time information which is recorded from the absolute time information obtained by the broadcast time obtaining unit, in a second descriptor of the SIT; and a storage unit for storing the interactive pro-

gram in a recording area on a recording medium, and storing the relative time obtained from the second descriptor of the SIT, in another area on the recording medium or in a recording apparatus.

26. The recording apparatus of Claim 25 wherein

the time information management unit records the absolute time information in a first descriptor of the SIT.

27. A reproduction apparatus for reproducing the interactive program recorded in the recording apparatus of Claim 25 or 26, comprising:

a reproduction time obtaining unit for receiving the relative time information stored in the storage unit, and reproducing a flow of time at the recording time; a reproduction instruction unit for detecting that the interactive program is recorded in the storage unit, and issuing a reproduction instruction automatically or in accordance with an instruction by a user; and an interactive program execution unit for receiving the reproduction instruction and receiving the interactive program from the storage unit, thereby to execute the interactive program on the basis of the relative time information obtained by the reproduction time obtaining unit, and the reproduction apparatus reproducing the interactive program from the recording apparatus.

28. A receiving apparatus comprising:

an interactive program receiving unit for receiving interactive program broadcasting wherein a time when the broadcasting is executed is indicated by a relative time from a start time of a program, which broadcasting includes video and audio and interactive programming, as a part; a start time receiving unit for receiving start time information of the interactive program; a broadcast time obtaining unit for obtaining information of the absolute time when the broadcasting is performed, and managing the absolute time information; and a relative time generation unit for generating information of a relative time from starting of the interactive program, on the basis of the start time information of the interactive program, which is obtained by the start time receiving unit and the absolute time information obtained by the broadcast time obtaining unit.

29. A recording apparatus for recording the interactive program received by the receiving apparatus of Claim 28, comprising:

a recording program information creation unit 5
for creating program information for the recording of the interactive program;
a time information management unit for recording relative time information which is recorded from the absolute time information obtained by the broadcast time obtaining unit; and 10
a storage unit for storing the interactive program in a recording area on a recording medium, and storing the relative time in another area on the recording medium or in a recording apparatus. 15

30. A reproduction apparatus for reproducing the interactive program recorded in the recording apparatus of Claim 29, comprising: 20

a reproduction time obtaining unit for receiving the relative time information stored in the storage unit, and reproducing a flow of time at the recording time; 25
a reproduction instruction unit for detecting that the interactive program is recorded in the storage unit, and issuing a reproduction instruction automatically or in accordance with an instruction by a user; and 30
an interactive program execution unit for receiving the reproduction instruction and receiving the interactive program from the storage unit, thereby to execute the interactive program on the basis of the relative time information obtained by the reproduction time obtaining unit, and 35
the reproduction apparatus reproducing the interactive program from the recording apparatus. 40

31. The receiving apparatus of any of Claims 1, 5, 9, 13, 17, 21, 24, and 28 wherein

the time information transmitted together with a transport stream including the interactive program is information of a relative time from starting of each program. 45

32. The recording apparatus of any of Claims 2, 6, 10, 14, 18, 22, 25, and 29, comprising: 50

recording medium running state change detection means for detecting a change in a running state of the recording medium in the storage unit; and 55
running state information updating means for updating running state change information

which reflects the change in the running state of the recording medium, when the recording medium running state change detection means detect the change in the running state of the recording medium.

33. The recording apparatus of Claim 32 wherein

the running state information updating means write the running state change information in the SIT.

34. The recording apparatus of Claim 32 wherein

the running state information updating means update the running state change information in program units.

35. The recording apparatus of Claim 32 wherein

the running state information updating means update the running state change information in recording apparatus units.

Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig. 15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21 (a)



Fig.21 (b)



Fig.21 (c)




Fig.21 (d)




Fig.21 (e)




Fig.21 (f)



Fig.21 (g)




Fig.21 (h)




Fig.22




Fig.23





Fig.24



INTERNATIONAL SEARCH REPORT

International application No.

PCT/JP99/04464

A. CLASSIFICATION OF SUBJECT MATTER

Int. Cl.⁶ H04N5/92, H04N5/44, H04N7/173, G11B27/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

Int. Cl.⁶ H04N5/38-5/46, 5/91-5/956, 7/00-7/093,
7/10, 7/14-7/173
G11B27/00-27/08

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Jitsuyo Shinan Koho 1922-1996 Toroku Jitsuyo Shinan Koho 1994-1999
Kokai Jitsuyo Shinan Koho 1971-1999 Jitsiyo Shinan Toroku Koho 1996-1999

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	JP, 10-21601, A (Sony Corporation), 23 January, 1998 (23.01.98) Par. No. [0014], Fig. 3 (Family: none)	1
P A	JP, 11-136611, A (Sanyo Electric Co., Ltd.), 21 May, 1999 (21.05.99) (Family: none)	1-35
A	Matsushita Technical Journal Vol.44 No.1 February, 1998 (Japan) Pages 3-12, Kabushiki Kaisha Omu-sha, (15.02.98)	1-35

☐ Further documents are listed in the continuation of Box C.☐ See patent family annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"Z" document member of the same patent family

Date of the actual completion of the international search
18 November, 1999 (18.11.99)Date of mailing of the international search report
07 December, 1999 (07.12.99)Name and mailing address of the ISA/
Japanese Patent Office

Authorized officer

Facsimile No.

Telephone No.